
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





"QUALTIY FIRST"

Price List of Nursery Stock

OF THE

F. & F. NURSERIES

Springfield, Union Co., N. J.

Economic and Systematic Botany

Economic Collections

Rec'd MAR 1 8 1920

Location, 17 miles from New York City

Millburn Station, D. L. & W. R. R.

Springfield Station, Rahway Valley R. R.

Electric Cars Pass Our Office Every Half Hour, giving Direct
Communication with Summit, Millburn, Newark, Elizabeth
Phone, No. 152, Millburn

Established at Roselle, N. J. in 1882

Our stock is clean and free from disease, being inspected every year for that purpose.

GUARANTEE-

WE GUARANTEE all our stock true to name and in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects, or after culture on the part of the purchaser. In case any mistakes should happen in the naming of a plant, we will replace it with the true variety as ordered, but we are not liable to more than its orginal invoice value in refunding money.

Local and Long Distance, Phone Millburn 152



ORNAMENTAL DEPARTMENT

DECIDUOUS TREES

| | | Tel. Code | Each | Per 10 |
|------------------------|---|-------------|---------------------|------------------|
| ACER DASYCARPUM | 8–10 ft | .gadfly | \$1.00 | \$9.00 |
| SILVER MAPLE | 8-10 ft., 11/4 in. | .gadder | 1.25 | 10.00 |
| | 8-10 ft., 11/4 in. 10-11 ft., 11/2 in. | .gadding | 1.50 | 12.50 |
| | 10-12 ft., 13/4 in. | gaddingly. | 2.00 | 17.50 |
| | 12-13 ft., $2-2\frac{1}{4}$ in | .gaelic | 2.50 | 22.50 |
| | 13–14 ft., $2\frac{1}{2}$ in. | .gaffle | 3.50 | 32.50 |
| | 14-15 ft., 3 in | .gafty | 5.00 | 45.00 |
| ********* | 14-15 ft., $3\frac{1}{2}$ -4 in | .gag | 6.00 | |
| WIERII | 8–10 ft., $1\frac{1}{4}$ in. | .gaggling | 2.00 | 17.50 |
| WIER'S CUT LEAF | 10-11 ft., 1½ in. | gaily | 2.25 | 20.00 |
| | 11-12 ft., 1 ³ / ₄ in. | | 2.50 | 22.50 |
| | 12-13 ft., 2 in | | 3.50 | 32.50 |
| | 12-15 ft., 2½ in. | | 5.00 | 45.00 |
| — NEGUNDO | 12–15 ft., 3 in | .gainrui | $7.00 \\ 1.25$ | 10.00 |
| Ash Leaf Maple | . 8-10 ft., 1½ in. | .gainless | 1.75 | $10.00 \\ 15.00$ |
| ASH LEAF MAPLE | 10-11 ft., $1\frac{1}{2}$ in. 11-12 ft., $1\frac{3}{4}$ in. | gainty | 2.00 | 17.50 |
| | 12–13 ft., 2 in | .gainsay | 2.50 | 22.50 |
| | 12-13 It., 2 III | garusayer . | 3.50 | 32.50 |
| - PLATANOIDES | 12-14 ft., $2\frac{1}{2}$ in. 8-10 ft., $1\frac{1}{4}$ in. | gaiter | 2.00 | 17.50 |
| Norway Maple | 10-11 ft., 1½ in. | galter | 2.50 | 22.50 |
| TOWN MAININE | 11-12 ft., 1 ³ / ₄ in. | | 3.00 | 27.50 |
| | 12-13 ft., $2-2\frac{1}{2}$ in | | 4.00 | 37.50 |
| | 13-14 ft., 2½ in. | | 5.00 | 45.50 |
| | 14-15 ft., 3 in | | 7.50 | 72.50 |
| | 14-15 ft., 3½ in. | galeated | 10.00 | 95.00 |
| | | galenic | 18.00 | 125.00 |
| SCHWEDLERII | .8-10 ft., 11/4 in | | 2.25 | |
| Schwedler's Purple | · (- | | | |
| - PSEUDO PLATANUS | 10-11 ft., $1\frac{1}{2}$ in. | | 2.00 | 17.50 |
| Sycamore Maple | 10-12 ft., 13/4 in. | | 2.25 | 20.00 |
| | 12–13 ft., 2 in | | 3.50 | 32.50 |
| | $13-14$ ft., $2\frac{1}{2}$ in. | | 5.00 | 47.50 |
| | 13–14 ft., 3 in | | 7.00 | 67,50 |
| DUDDIM | $13-14$ ft., $3\frac{1}{2}$ in. | galleries | 10.00 | 22.70 |
| - RUBRUM | . 8-10 ft., 1½ in. | gallery | 2.50 | 22.50 |
| RED OR SCARLET MAPLE | $10-12$ ft., $1\frac{1}{2}$ in. $12-13$ ft., $1\frac{3}{4}$ in. | galley | $\frac{3.00}{3.50}$ | 27.50 |
| | | | 5.00 | $32.50 \\ 47.50$ |
| | 13-14 ft., 2 in 13-14 ft., 2½ in | | 6.50 | 60.00 |
| - SACCHARINUM | . 8–10 ft | | 1.75 | 15.00 |
| SUGAR MAPLE | 10-12 ft., 1 1/4 in. | gallooned | 2.00 | 17.50 |
| | 10-13 ft., $1\frac{1}{2}$ in. | gallon | 2.50 | 22.50 |
| | 12-14 ft., 13/4 in. | gallopade | 3.00 | 27.50 |
| | 13–15 ft., 2 in | | 4.00 | 37.50 |
| | 14-16 ft., 2½ in. | | 5.00 | 42.50 |
| | 14-16 ft., 3 in | | 7.00 | 65.00 |
| - STRIATUM | 4-6 ft | | 2.00 | |
| AESCULUS HIPPOCASTANUM | . 8 ft., $1\frac{1}{4}$ in | gambler | 2.00 | 17.50 |
| EUROPEAN OR COMMON | 8-10 ft., $1\frac{1}{2}$ in. | gambling | 2.50 | 22.50 |
| Horsechestnut | 8-10 ft., 13/4 in | game | 3.50 | 32.50 |
| | 10-12 ft., 2 in | gameful | 4.00 | 37.50 |
| | 10-12 ft., 2½ in. | gamesome | 6.00 | 55.00 |
| | 10-12 ft., 3 in | | 7.00 | 67.50 |
| | 12-13 ft., $3\frac{1}{2}$ -4 in. | | 10.00 | 75.00 |
| • | 12–13 ft. 4 in | .gamut | 25.00 | 225.00 |

| ACED Continued | | T-1 C-1- | 171 | D 10 |
|---|----------------------------------|-----------------|---|-----------------------|
| ACER—Continued — RUBICUNDA | 10 10 % 01/:- | Tel. Code | Each | Per 10 |
| RED FLOWERING HORSECHESTNUT | . 10-12 It., 2½ in. | ganch | $\$5.00 \\ 6.00$ | |
| RED FLOWERING HORSECHESINUT | 12-14 ft., 272 iii. | gander . | 7.50 | |
| —— ALBA FLORA PLENA | .10-11 ft., 2½ in. | gannet | 6.00 | |
| DBL. WHITE FLOWERING | 10-12 ft., 3 in | ganoid | 7.50 | |
| - (PAVIA) MACROSTACHIA, see shru | bs | | | |
| ALNUS GLUTINOSA | | | 1.50 | \$12.50 |
| AMMODALUC DEDCICA | 8–10 ft | garbe | 1.75 | 15.00 |
| AMYGDALUS PERSICA FLOWERING PEACH | | | .75 | 6.50 |
| | 4-5 ft 5-6 ft | garbish | $\frac{1.00}{1.25}$ | $\frac{8.50}{10.00}$ |
| Red and White ANDROMEDA (See Shrubs) | J-01t, | garbie | 1.20 | 10.00 |
| ARALIA (See Shrubs) | | | | |
| BETULA ALBA | . 4–6 ft | .garl | .75 | 6.50 |
| EUROPEAN WHITE BIRCH | 6–8 ft | garbles | 1.00 | 8.50 |
| | 8–10 ft | | 1.50 | 12.50 |
| | 10–12 ft | garboard . | 2.00 | 17.50 |
| —— LACINIATA | $10-12$ ft., $2-2\frac{1}{2}$ in | gard | 3.00 | 27.50 |
| WEEPING CUT LEAF | 6-8 ft | gardened . | $\frac{1.25}{1.50}$ | $10.00 \\ 12.50$ |
| WEEPING COI LEAF | 8–10 ft | | 2.00 | 17.50 |
| | 10–12 ft | | 2.50 | 20.00 |
| | 10_11 f+ | coming | 3.50 | 30.00 |
| — — PEND. YOUNGII | . 5- 6 ft | gargle | 2.00 | |
| (Weeping) — — PYRAMIDALIS | 6- 7 ft | gargled | 2.50 | |
| — — PYRAMIDALIS | . 4- 6 ft | garlic | 2.00 | 17.50 |
| - LENTA | . 4-6 ft | garnered | 1.50 | 12.50 |
| SWEET BIRCH | 6-8 ft | garnering . | 2.00 | 17.50 |
| SWEET BIRCH - LUTEA | 8-10 ft | garner | 2.50 | 22.50 |
| VELLOW BIRCH | . 0-8 It | garnish | $\frac{2.00}{2.50}$ | $7.50 \\ 22.50$ |
| 1 ELLOW DIRCH | 10-10 ft | garmsneu . | 3.00 | $\frac{22.50}{27.50}$ |
| YELLOW BIRCH - NIGRA | . 6- 8 ft | garnisher. | 2.00 | 17.50 |
| BLACK OR RIVER BIRCH | 8–10 ft | garniture. | 2.50 | 22.50 |
| BLACK OR RIVER BIRCH | 10-12 ft | .gar | 3.00 | 27.50 |
| - PAPYRACEA | 6- 8 ft | garran | 2.00 | |
| Paper or Canoe Birch | 8–10 ft | garret | 2.50 | 22.50 |
| Paper or Canoe Birch CARPINUS AMERICANA | 10–12 ft | garrison | 3.00 | 0 |
| AMERICAN HONDRAM | . 4- 5 ft | gash | 1.00 | 8.50 |
| AMERICAN HORNBEAM | 6 8 ft | gasned | $\frac{1.50}{2.00}$ | $12.50 \\ 17.50$ |
| AMERICAN HORNBEAM — BETULUS | 4- 6 ft | gasified | .85 | 7.50 |
| DETERED THE TENED TO THE TENED | 6-8 ft | gasifying . | 1.25 | 11.50 |
| CATALPA BIGNOIDES | . 8-10 ft., $1\frac{3}{4}$ -2 in | gasket | 2.00 | 17.50 |
| Indian Bean | 10-12 ft., $2-2\frac{1}{2}$ in | gask | 2.25 | 20.00 |
| — BUNGEI UMBRELLA CATALPA | | | | |
| Medium heads | $1\frac{1}{4}$ in. stems | gasp | 2.00 | |
| First class heads | $\frac{11}{2} \ln$ | .gasped | 2.50 | |
| ix it is the ads | . 1% III | gasping | $\frac{3.90}{4.00}$ | |
| " " " | 2½ in " | gassy gastric | 5 00 | |
| CELTIS OCCIDENTALIS (See Shrubs |) | · Bustine · · · | 0.00 | |
| CEPHALANTHUS (See Shrubs) | | | | |
| CERASUS | | | | |
| — JAP. ROSEA PENDULA | . 3– 4 ft | gathered | 1 50 | |
| WEEPING JAPAN CHERRY | 4- 5 ft | gatherer | 2.50 | |
| Standard or Pyramidal | 5- 6 ft | gathering . | 3.75 | |
| — PENDULA, double flowering | 6-8 ft | gamer | 4.00 | |
| | | | $\begin{array}{c} 1.75 \\ 2.50 \end{array}$ | |
| - SEROTINA | . 4-6ft | . gaudery | 1.00 | 7.50 |
| WILD BLACK CHERRY | 6- 8 ft | gaudful | 1.50 | 12.50 |
| - SINENSIS FL. PL.—RED AND WHITE | E 4- 6 ft | gaudless | 2.50 | 2.3.00 |
| Chinese Dbl. Flg. | | _ | | |
| — — J. H. VEITCH | . 5- 6 ft | gauged | 3.00 | |
| | | | | |

| CENTACING CO. | | m | ~ . | D 10 |
|-----------------------------------|------------------------------------|--------------|----------------|------------------|
| CERASUS—Continued | | Tel. Code | Each | Per 10 |
| — SPECTABILIS ROSEA | . 3- 4 it | gauging | \$1.50 | \$12.50 17.50 |
| CERCIDIPHYLLUM JAP | 4-5 ft | gauge | 2.00 2.00 | 17.50 |
| | 6-8 ft | | 2.50 | 22.50 |
| Katsura | 8–10 ft | | 3.00 | 27.50 |
| CERCIS JUDAS TREE (See Shrubs) | 0-10 10 | gaunsiiness | 0.00 | 21.00 |
| CLADASTIS VIRGILIA | 4- 5 ft | (19117A | 1.50 | 12.50 |
| CLADASTIS VIRGILIA | 5- 6 ft | gauze | 2.00 | 17.50 |
| | 6-8 ft | | 2.50 | 22.50 |
| CORNUS FLORIDA | 4- 5 ft | gawk | 1.25 | 10.00 |
| WHITE FLG. DOGWOOD | 5- 6 ft | gawky | 1.50 | 12.50 |
| | 6-8 ft | gay | 2.00 | 17.50 |
| | 8–10 ft | gayety | 3.00 | 27.50 |
| | 10-12 ft | | 4.00 | 37.50 |
| PENDULA-WEEPING DOGWOOD | 5- 6 ft | | 2.00 | 10.50 |
| —— RUBRA | . 2- 2½ ft | gazette | 1.50 1.75 | 12.50 15.50 |
| RED FLG. DOGWOOD | $\frac{2^{1}}{2} - \frac{3}{3}$ ft | | 2.00 | 17.50 |
| | 3- 4 ft 4- 5 ft | | 2.50 | 22.50 |
| | 5- 6 ft | gearing | 3.50 | 30.00 |
| CRATAEGUS, THORN | 0 010 | gearea | 0.00 | 00.00 |
| - ARNOLDIANA | 3_ 4 ft | gelder | 1.00 | 7.50 |
| | 4 w 0. | 1 1' | 1.25 | 10.00 |
| — CARRIERI | 3- 4 ft | gelded | 1.25 | 10.00 |
| | 4 - 6: | . 11 | 1.50 | 12.50 |
| — COCCINEA | . 3– 4 ft | gelt | 1.00 | 8.50 |
| WHITE THORN — CORDATA | 4- 5 ft | gelid | 1.25 | |
| — CORDATA | . 3- 4 ft | gelidness . | 1.00 | 8.50 |
| Washington Thorn — CRUS GALLI | 4- 6 ft | gemaric | 1.50 | 12.50 |
| - CRUS GALLI | . 2-3 ft | gemination | .75 | 6.00 |
| Cockspur Thorn | 3- 4 it 4- 5 ft | geminous . | $1.00 \\ 1.50$ | 8.50 12.50 |
| - MOLLE | 2_ 1 ft | genmary. | 1.00 | 12.50 |
| - OXYCANTHA, Dbl. Flg. | 3- 4 ft | gemmy | 1.00 | 8.50 |
| pink. Red and white | 4- 5 ft | gender | 1.50 | 12.50 |
| pink, Red and white — TOMENTOSUM | . 3- 4 ft | genealogist | 1.00 | |
| CYTISSUS LABURNUM | 4- 5 ft | generality | 1.25 | |
| CYTISSUS LABURNUM | 4-5 ft | generally . | 1.25 | |
| DYOSPYRUS VIRGINIANA | . 4 – 6 ft | generalize . | 1.00 | 8.50 |
| Persimon | 6- 8 ft | general | 1.50 | 12.50 |
| EUONYMUS (See Shrubs) | | | | |
| FAGUS FERRUGINEA | 3- 4 ft | generate | 2.00 | 17.50 |
| American Beech | 4- 5 ft | generated . | 2.25 | 20.00 |
| | 5- 6 ft | generating | 2.50 | 22.50 |
| — SYLVATICA | 6- 7 ft | generation | 3.50 | 1~ -0 |
| | | | 2.00 2.50 | 17.50 22.50 |
| ENGLISH BEECH — HETEROPHYLLA | 5- 6 ft | generous | 3.00 | 27.50 |
| HETEROPHYLLA | 2- 3 ft | genial | 1.50 | 12.50 |
| FERN OR CUT LVD. BEECH | 3- 4 ft | . genesis | 2.25 | 20.00 |
| —— PENDULA | . 5 - 6 ft | gent | 3.00 | |
| Weepin: Beech | 6-8 ft | genteel | 4.00 | |
| | 8–10 ft | | 5.00 | |
| DIDDIDE | 10–12 ft | gentile | 7.50 | |
| PURPUREA | 4- 5 tt | gentility | 2.50 | |
| PURPLE COPPER BEECH | 5- 6 ft | gentinze | 3.00 | |
| | 6- 8 ft 8-10 ft | gentleman | 4.00 5.00 | |
| ——— PENDULA | 4-5 ft | .gently | 3.50 | |
| Weeping Purple Beech | 5- 6 ft | .gentry | 4.00 | |
| ——— RIVERSI | 3- 4 ft | .genuine | 2.50 | |
| . River's Purple Beech | 4- 5 ft | .genuinly | 3.50 | |
| | 5- 6 ft | genus | 4.00 | |
| | 6- 8 ft | .geography. | 5.00 | |

| FRAXINUS AMERICANA | | Tel. Code | Each | Per 10 |
|-----------------------------------|--|-------------|---------------------|-------------------|
| White Ash | 8-10 ft., 1½ in | | | 10.10 |
| | $10-12 \text{ ft.}, 1\frac{1}{2} \text{ in}$ | geometric . | 2.00 | |
| | $10-12$ ft., $1\sqrt[3]{4}$ in | geometrize | 2.50 | |
| — VIRIDIS | 12-13 ft., 2 in. | geometry . | 3.00 | ∆ 1₩ *0 |
| | 10-10 ft 13/ in | gamminata | $\frac{2.00}{2.25}$ | $$17.50 \\ 20.00$ |
| GYMNOCLADUS | 12-13 ft., 2 in. | .germmate | $\frac{2.25}{2.50}$ | 22.50 |
| GYMNOCLADUS | . 3-4 ft | .german | 1.00 | 8.50 |
| KENTUCKY COFFEE TREE | 4- 5 ft | .gest | 1.25 | 10.00 |
| HALESIA (See Shrubs) | | | | |
| KOELREUTERIA TREE | . 3- 4 ft | .gester | .75 | 6.00 |
| LARIX EUROPEA—European Larch. | 9-3 ft | gestic | 1.00 | 8.50 |
| — LEPTOLEPIS | 4-6ft | .gesture | .175 | |
| Japan Larch | 6-8 ft | .geyser | 2 00 | |
| | 8–10 ft | ghast | 3.00 | |
| TIOTHDAMBED OF TO A CITE III | 10–12 ft | | 4.00 | |
| LIQUIDAMBER STYRACIFLUA | 6- 8 ft | ghastly | $\frac{2.20}{2.50}$ | 17.50 |
| SWEET GUM LIRIODENDRON TULIPFERA | 8–10 ft. | ghostless | 3.00 | 22.50 27.50 |
| LIRIODENDRON TULIPFERA | . 4- 6 ft | ghostlike . | 1.00 | 8.50 |
| TULIP TREE | 6-8 ft | ghostly | 1.50 | 12.50 |
| | 0 1010, , . , . | giani | 2.00 | 17.50 |
| MAGNOLIA ACUMINATA | 10–12 ft | gibber | 3.00 | |
| Cucumber Tree | 6- 7 ft | gibbet | $\frac{1.25}{2.00}$ | |
| | 8 ft | gibing | 3.00 | |
| — ALBA SUPERBA, with ball | 2-3 ft | gibling | 4.00 | |
| CIAUCA Common Dorr | 3- 4 ft | giblet | 5.00 | 10.70 |
| — GLAUCA, SWEET BAY | 3- 4 ft | gifted | $\frac{1.50}{2.00}$ | $12.50 \\ 17.50$ |
| | 4 £ £+ | mi m ml a | 2.50 | 17.00 |
| — MACROPHYLLA | . 2 ft | .gilded | 2.00 | |
| | 0 4 % | | 2.50 | |
| - STELLATA HALLEANA, with ball | $2-2\frac{1}{2}$ ft | gird | 3.50 | |
| STARRY MAGNOLIA — TRIPETELA | 3 ft | girded | 5.00 | 20.00 |
| Umbrella Tree | 6- ft | girdled | $\frac{2.25}{3.00}$ | $20.00 \\ 27.50$ |
| Chiprobial Fittie | 6- ft 8-10 ft | girdle | 3.50 | ~1.00 |
| | 12 ft | girdling | 4.00 | 37.50 |
| MALUS CORONARIUS | . 6– 8 ft | .girlhood | 1.50 | |
| — FLORIBUNDA and ATROSANGUINEA | 0 4 ft | . 1: 1 | 1.00 | |
| AI RUSANGUINEA | 4- 5 ft | girlish | $\frac{1.00}{1.25}$ | |
| | 5- 6 ft | girlishness | 1.50 | |
| — IOENSIS | | | .75 | |
| BECHTEL'S CRAB | $2\frac{1}{2}$ -3 ft | .given | 1.00 | |
| | 3-4 ft | giver | 1.25 | |
| — PARKMAN'S, PARKMAN'S CRAB | 4- 5 ft | .giving | $1.50 \\ 1.50$ | |
| MORUS TARTARICA PENDULA. | . J- #10 | .gizzaru | 1.50 | |
| Tea's Weeping Mulberry | | | | |
| Medium heads | | | 2.25 | 20.00 |
| First class heads | •••••• | .gladden | $\frac{3.00}{3.50}$ | |
| Double extra heads | | | 5.00 | |
| OSTRYA VIRGINICA | . 5- 6 ft | .glad | 1.50 | 12.50 |
| | 6- 8 ft | gladful | 2.00 | 17.50 |
| PAULOWNIA IMPERIALIS | . 6-8 ft | gladiator . | 2.25 | 20.00 |
| Empress Tree | 8–10 f t | gladys | $\frac{3.00}{3.50}$ | $27.50 \\ 30.00$ |
| PHELLODENDRON AMURENSE | . 8–10 ft | .glader | 2.00 | 17.50 |
| CHINESE CORK TREE | 8 ft., 1¼ in | .gladsome | 2.25 | 20.00 |
| | 10 ft., $1\frac{1}{2}$ in | gladly | 3.00 | 27.50 |

| | | m1 0 1 | TO -1 | D 10 |
|----------------------------|--|--------------|-------------|------------------|
| PLATANUS ORIENTALIS | 8_10 ft | Tel. Code | Each \$1.00 | Per 10 \$8.50 |
| ORIENTAL PLANE | 8-10 ft., 1½ in | glance | 1.50 | 12.50 |
| ORIENTAL FLANE | 10–11 ft., 1½ in | glancing | 1.75 | 15.00 |
| | 10-11 10., 172 in | giancing | 2.50 | 22.50 |
| | 11-12 ft., 13/4 in. | gland | | |
| | 12-13 ft., 2 in | giand | 3.00 | 27.50 |
| | 12-13 ft., 2½ in | glanders | 3.25 | 32.50 |
| | 12-14 ft., 2½ in | | 5.00 | 47 50 |
| | 14-16 ft., 3 in | | 7.50 | 70.00 |
| DOLLESMA D. D. | 14-16 ft., 3½ in | giare | 10.00 | 80.00 |
| BOLLEANA, PYRAMIDAL POPLAR | 0.10 ft. 11/: | glassily | 2.00 | 0 =0 |
| - BALSAMIFERA | 8-10 ft., 1/4 in. | glazen | 1.00 | 8.50 |
| Balsam Poplar | 8-10 ft., 1½ in. | glazenea | 1.25 | 10.00 |
| | $10-12 \text{ ft.}, 1\sqrt[3]{4} \text{ in.}$ | glazier | 1.50 | 12.50 |
| TA COTT CITATIA | 10–12 ft., 2 in. | glazing | 2.00 | 0.70 |
| — FASTIGIATA | 8-10 It | gleamed | .75 | 6.50 |
| LOMBARDY POPLAR | 10-12 ft., 1½ in. | gleaming . | 1.00 | 8.50 |
| Low branched and | 11-13 ft., $1\frac{1}{2}$ in. | glean | 1.50 | 12.50 |
| straight leaders | 12-14 ft., 1 ³ / ₄ in. | | 2.00 | 17.50 |
| | 13–15 ft., 2 in. | gleaner | 2.50 | 22.50 |
| ALONII TENDA | 14-16 ft., 21/4 in. | gleaning | 3.00 | 27.50 |
| - MONILIFERA | 8-10 ft., 1½ in. | | .75 | 6.50 |
| Carolina Poplar | 11-12 ft., 1½ in. | | 1.00 | 8.50 |
| | 12-13 ft., 1 ³ / ₄ in. | gibly | 1.50 | 12.50 |
| | 13-14 ft., 2 in. | glibly | 2.00 | 17.50 |
| | 14-15 ft., 21/4 in. | glide | 2.50 | 22.50 |
| | 14-15 ft., 2½ in. | glider | 3.50 | 32.50 |
| | 14-16 ft., 3 in. | gliding | 4.50 | 42.50 |
| | 14-16 ft., 3½ in. | .gnaea | 5.00 | |
| PRUNUS (See Shrubs). | | | | |
| PTELIA TRIFOLIATA | 4- 5 ft | glistening . | .75 | 6.50 |
| HOP TREE | 5- 6 ft | gloamer | 1.25 | 10.00 |
| QUERCUS ALBA, WHITE OAK | 6–8 ft | gloam | 2.50 | 22.50 |
| — BICOLOR | 8-10 ft., 11/4 in. | gloaming. | 3.00 | 27.50 |
| | $10-12$ ft., $1\frac{1}{2}$ in. | gloat | 3.50 | |
| | 10–12 ft., 1¾ in. | gloated | 4.50 | |
| - CERRIS, TURKEY OAK | 8 ft. 11/4 in | .gloating | 2.25 | |
| | 8–10 ft., $1\frac{1}{2}$ in. | globe | 2.50 | |
| | 8-10 ft., 13/4 in. | .globose | 3.00 | |
| — COCCINEA | | .globing | 2.50 | |
| Scarlet Oak | 10-12 ft., $1\frac{1}{2}$ in. | .glober | 3.00 | |
| | 6-8 ft., $1\frac{1}{4}$ in. | glat | 2.00 | |
| | 8 ft., 1½ in. | glatty | 2.50 | |
| | 8-10 ft., 1 ³ / ₄ in. | glast | 3.00 | |
| — IMBRICARIA | 10 ft., 2 in. | | 4.00 | |
| — MACROCARPA | | | 3.00 | |
| Mossy Cup Oak | $10-12 \text{ ft.}, 2-2\frac{1}{2} \text{ in}$ | a.glorify | 4.00 | |
| | 10-12 ft., $2\frac{1}{2}$ - 3 in | n.glory | 6.00 | |
| | 12 ft., 3 in | gloried | 7.50 | |
| - PALUSTRIS | 8-10 ft., 1½ in | .glorving | 2.00 | 17.50 |
| Pin Oak | 8-10 ft., 1½ in. | gloss | 2.50 | 22.50 |
| | 8-10 ft., $1\sqrt[3]{4}$ in. | glossily | 3.50 | 32.50 |
| | 10-12 ft., 2 in. | glossiness . | 4.50 | 40.00 |
| | 12-13 ft., 2½ in. | glossy | 5.00 | 45.00 |
| | $12-13$ ft., $2\frac{1}{2}$ in. | glove | 6.00 | 55.00 |
| | 12-14 ft., 3 in | | 7.50 | 65.00 |
| | 12–14 ft., $3\frac{1}{2}$ in | | 10.00 | |
| — PEDUNCULATA | 10–12 ft., | glow | 3.50 | |
| - PRINOS MICHAUXII | | glummy | 2.25 | 20.00 |
| CHESTNUT OAK | 10-12 ft., $1\sqrt[3]{4}$ in. | | 3.50 | 30.00 |
| | 12-14 ft., $3\frac{1}{2}$ in | | 6.00 | 55.00 |
| | 12-14 ft., 4 in | | 7.50 | 70.00 |
| - ROBUR. PED. CONCORDIA | 4- 5 ft | gnashed | 3.50 | |
| | 5- 6 ft | | 5.00 | |
| | | | | |

| QUERCUS —Continued | Tel. Code | Each | Per 10 |
|--|---|---------------------|----------------------|
| — RUBRA | 101.0000 | | 10110 |
| - RUBRA | . 6–8 ftgnasn | \$2.50 | |
| RED OAK | 8–10 ft., 1¼ in. gnashy | 3.00 | |
| | 9-10 ft., $1\frac{1}{2}$ in. gnaw | 3.50 | |
| | 9-11 ft., 13/4 in. gnawed | 4.00 | |
| | 10-12 ft., 2 in. gnawing | 5.00 | |
| | 12-14 ft., 2½ in. goad | 6.00 | |
| RHUS COTINUS—PURPLE MIST OR FI | RINGE (See Shrubs) | | |
| ROBINA PSEUDO ACACIA | 6 9 ft gooded | 1.00 | |
| | 0 | 1.50 | |
| SALISBURIA ADIANTIFOLIA | 8-10 Itgoading. | 1.50 | 12.50 |
| | . 0-8 Itgoal | | 12.50 |
| Ginko | 8–10 ft., 1¼ ingoat | 2.00 | |
| | 10-12 ft., 1½ ingobble | 2.50 | |
| | 10-12 ft., 134 in. gobbled | 3.00 | |
| | $10-12 \text{ ft.}, 2\frac{1}{4} \text{ in. gobbler} \dots$ | 3.50 | OW **O |
| | $12-14$ ft., $2\frac{1}{2}$ in. goblin | 4.00 | 37.50 |
| SALIX BABYLONICA | 5- 6 ft gobbling | .65 | 5.00 |
| WEEPING WILLOW | 6- 8 ftgoblet | .75 | 6.50 |
| (| 8–10 ft., goddess | 1.25 | 10.00 |
| | 10-12 ftgodliness . | 1.50 | 12.50 |
| | 19_14 ft godlike | 2.00 | 17.50 |
| — — AUREA PENDULA | 6- 8 ft godly | 1.00 | 17.50 |
| | 9_10 ft godless | 1.50 | 12.50 |
| —— SOLOMONI | 6_ Q ft godless | 1.25 | 10.00 |
| — SOLOMONI | 8–10 ft godsend | 1.50 | 12.50 |
| | 10–12 ftgodson | 2.00 | 20.00 |
| | | 2.50 | 22.50 |
| — CAPREA | 12 ftgodspeed | 1.00 | 22.50 |
| - CAFREA | . 4- oftgoing | 1.25 | |
| — PENTANDRA | 6- 8 ft | .75 | 6.50 |
| - FENTANDRA | . 4- 6 Itgold | | 8.50 |
| LAUREL LEAF WILLOW | 0-81tgolden | 1.00 | |
| LAUREL LEAF WILLOW — ROSMARINIFOLIA, bush | 8-10 ftgoldless | 1.25 | $\frac{10.00}{3.50}$ |
| — RUSMARINIFULIA, bush | . 2– 3 ftgone | .50 | |
| | 3- 4 ftgong | .75 | 6.50 |
| THIDION | 4-5 ftgorge | 1.00 | 8.50 |
| — THURLOW, ELEGANTISSIMA | . 5-8 ftgorgeous | .75 | 6.50 |
| Weeping Willow | 8-10 ftgorgeously | 1.00 | 8.50 |
| ATTENDED A TAXA A TAXA A | 10–12 ftgorging | 1.50 | 12.50 |
| — VITELLINA AUREA | . 4-6 ftgosling | .75 | 6.50 |
| Golden Bark Willow — BRITZENSIS | 6-8 ftgospel | 1.00 | 8.00 |
| —— BRITZENSIS | . 3- 4 ftgossiped | .50 | 4.00 |
| | 4-5 ftgossiping. | .75 | $\frac{6.50}{7.50}$ |
| | 5- 6 ftgossoon | .85 | 7.50 |
| SOPHORA JAPONICA | . 4 ftgothic | 2.00 | |
| Pagoda Tree | 5 ftgouged | 3.50 | |
| SORBUS AUCUPARIA—Eng. Mt. Ash | . 6– 8 ftgoutily | 1.25 | |
| —— PENDULA, WEEP. Mt. Ash | . 2 yr. heads governed . | 2.00 | |
| TILIA AMERICANA | . 8- 9 ft., 1½ ingrab | 2.00 | 17.50 |
| American Linden | $9-10$ ft., $1\frac{1}{2}$ in. grabbed | 2.50 | 22.50 |
| | 10-11 ft., 1¾ in. grabber | 2.75 | 25.00 |
| | 11-12 ft., 2 in. grabbing. | 3.00 | 27.50 |
| | 11-12 ft., 2½ in. grace | 3.50 | 32.50 |
| | $12-13 \text{ ft.}, 2\frac{1}{2} \text{ in. graced } \dots$ | 4.00 | 37.50 |
| | 13-14 ft., 3 in graceful | 5.00 | 47.50 |
| | $13-14$ ft., $3\frac{1}{2}-4$ in graceless | 6.00 | |
| — EUROPAEA ALBA ARGENTEA | | | |
| | . 8 ft., 1¼ ingrade | 3.00 | 25.00 |
| SILVER LEAF LINDEN | | 3.25 | 30.00 |
| | 8- 9 ft., 1½ in graded | | 32.50 |
| | 9-10 ft., 13/4 in. grader | $\frac{3.50}{4.50}$ | 40.00 |
| SPECTABILIS TOMENTOSA | 10-11 ft., 2 in grading | $\frac{4.50}{2.25}$ | 20.00 |
| ——— SPECTABILIS TOMENTOSA | 8-10 ft., 1½ in graft | $\frac{2.25}{3.00}$ | 20.00 27.50 |
| | 10-12 ft., 1½ in. grafted | 3.25 | 30.00 |
| | 12 ft., 13/4 in grafting | 5.00 | 50.00 |
| | $12 \text{ ft.}, 2-2\frac{1}{2} \text{ ingrafter} \dots$ | 5.00 | |
| | | | |

| TILIA—Continued | Tel. Code | Each | Per 10 |
|--------------------------|--|--------|---------|
| —— PLATAPHYLLA | 9_ 0 ft 11/ in grain | \$2.00 | |
| EUROP. LARGE LVD. LINDEN | 9-10 ft., 1½ in. grainer | 2.50 | |
| EUROP. LARGE LVD. LINDEN | 10-11 ft., 13/4 in grained | 3.00 | |
| | 11–12 ft., 2 in grammar . | 3.50 | |
| | 11-12 ft., 2 ¹ / ₄ in grandeur . | 4.00 | \$37.50 |
| | 12-13 ft., 2½ in grandly | 5.00 | 47.50 |
| | 13-14 ft., 3 in grande | 6.00 | 55.00 |
| | 13-14 ft., $3\frac{1}{2}$ -4 in granite | 7.50 | 70.00 |
| | $13-14$ ft., $4-4\frac{1}{2}$ in grasper | 10.00 | |
| — — VULGARIS | | 2.00 | 17.50 |
| EUROPEAN LINDEN | | 2.50 | 22.50 |
| EUROPEAN IMPEN | 10-11 ft., 1 ³ / ₄ in. grasping | 3.00 | 27.50 |
| | 11–12 ft., 2 in grass | 3.50 | 32.50 |
| | 11-12 ft., 2½ in grasslike | 4.00 | 37.50 |
| | 12–13 ft., 2½ in. grassy | 5.00 | 45.00 |
| | 13–14 ft., 3 in grated | 6.00 | 60.00 |
| | 13-14 ft., 3½ ingrateful | 7.50 | |
| | 13–14 ft., 4 in grate | 10.00 | |
| ULMUS AMERICANA | 8-10 ft., 1½ in. gratify | 1.50 | 12.50 |
| AMERICAN ELM | 9-11 ft., 1½ in. grating | 2.00 | 17.50 |
| | 10-12 ft., 13/4 in. gratis | 2.50 | 22.50 |
| | 11-13 ft., 2 in grave | 3.00 | 27.50 |
| | 11-13 ft., 21/4 in. gravely | 3.50 | 32.50 |
| | 12-14 ft., 2½ in. gravity | 5.00 | 47.50 |
| | 12-14 ft., 3 in. gravy | 7.50 | 70.00 |
| | 12-14 ft., 3½ in graze | 8.50 | 80.00 |
| — MONTANA | 10-12 ft., $2-2\frac{1}{2}$ in greasing | 3.50 | |
| SCOTCH ELM | 11-13 ft., $2\frac{1}{2}$ -3 in. greed | 5.00 | |
| — — CAMPERDOWN | 1 yr. heads green | 2.00 | |
| Weeping Elm | 2 vr. heads greet | 2.50 | |
| — WHEATLEYI | 8-10 ft., 13/4 in. greeting | 3.00 | |
| | 10-12 ft., 2 in greeted | 3.50 | * 2 * 2 |
| - WELLESLEY | 6-8 ftgrief | 1.50 | 12.50 |
| NEW ENGLAND ELM | \dots 8-10 ft., $1\frac{1}{4}$ in grieving \dots | 2.00 | 17.50 |
| | | | |

DECIDUOUS SHRUBS

The shrubs we offer are of standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall but are given space enough for proper development. This insures a bushy and full plant which far more than height ought to be, and indeed is, the standard of excellence. Nearly all our shrubs are dug with a tree digger, thus insuring good roots, and are exactly what we represent them to be in all particulars.

| | | Tel. Code | Each | Per 10 |
|------------------------|------------|------------|--------|--------|
| ACER JAPONICUM AUREUM | 11/6- 9 ft | | \$2.00 | |
| GOLDEN JAPAN MAPLE | 2- 2½ ft | nacer | 3.50 | |
| | 3 ft | | 5.00 | |
| — POLYMORPHUM | 9-3 ft | nacify | 2.50 | |
| Green Leaved | 3- 4 ft | | 3.00 | |
| ATROPURPUREUM | 18-94 in | nack | 2.00 | |
| PURPLE LEAVED | 2- 2½ ft | nacker | 2.50 | |
| | 2½- 3 ft | | 2.75 | |
| | 3 ft. | nacking | 3 50 | |
| ———— DISSECTUM | 1½- 2 ft | pad | 2.25 | |
| PURPLE CUTLEAF | | | 3.00 | |
| —— DISSECTUM | 2-2½ ft | paddled | 3.00 | |
| GREEN CUT LEAF | 2 | P | | |
| — TARTARICA GINNALA | 4- 5 ft | paddock | .75 | 6.50 |
| SIBERIAN MAPLE | 5- 6 ft | paddy | 1.00 | 8.50 |
| AMELANCHIER BOTRYAPIUM | 2-3 ft | paganism . | .65 | 5.00 |
| JUNEBERRY | 3- 4 ft | paganized. | .75 | 6.50 |
| | 4- 5 ft | pagan | 1.00 | |
| - CANADENSIS | 2- 3 ft | paganizing | .65 | 5.50 |
| | 3- 4 ft | paged | .75 | 6.50 |

| | | Tel. Code | Each | Per 10 | |
|---|-----------------------|---------------------------------------|--|---------------------|----------|
| AMORPHA CANESCENS | 15_18 in | | \$.50 | \$ 4.00 | |
| | | | .65 | 5.50 | |
| — FRUTICOSA | 9- 3 ft | nage | .50 | 4.00 | |
| FAIGE INDICO | 3- 4 ft | nageant | .65 | 5.50 | |
| AMYGDALUS FLOWERING ALMON | D Troiti | · · · · · · · · · · · · · · · · · · · | | | |
| AMYGDALUS FLOWERING ALMON Pink and White | 2- 3 ft | pagoda | .50 | 4.00 | |
| | 3- 4 ft | paid | .65 | 5.50 | |
| ANDROMEDA ARBOREA (See Oxyde | ndron). | | | | |
| - MARIANA STAGGER BUSH | 18 in | pain | .65 | 5.50 | |
| ARALIA MANDSCHURICA — PENTAPHYLLA — SPINOSA | . 4- 5 ft | painful | 1.00 | | |
| | 5- 6 ft | painfulness | 1.50 | 4.00 | |
| — PENTAPHYLLA | 2-3 ft | painfully | .50 | 4.00 | |
| CDINGC | 3- 4 ft | paining | .65 | 5.50 | |
| - SPINOSA | . 2- 3 ft | painted | .50 | 4.00 | |
| Hercules' Club | 3- 4 ft | painter | $\begin{array}{c} .65 \\ 1.00 \end{array}$ | 5.50 8.50 | |
| | 4- 6 ft | painting | 1.00 1.25 | 10.00 | |
| | 0.100 | paint | 1.50 | 12.50 | |
| ARONIA ARBUTIFOLIA NIGRA | 8-10 1t | palace | .50 | 4.50 | |
| BLACK CHOKEDERRY | 2- 31t | nalatial | .65 | 5.50 | |
| BLACK CHOKEBERRY - RUBRA | 1- 5 ft | nale | .75 | 6.50 | |
| — RUBRA | 9- 3 ft | naleness | .60 | 5.50 | |
| RED CHOKEBERRY | 3- 4 ft | nalely | .70 | 6.50 | |
| RED CHOKEBERRY AZALEA ARBORESCENS | 4- 5 ft | pall | 1.00 | | |
| AZALEA ARBORESCENS | .15–18 in | pallet | 1.50 | 12.50 | |
| Fragrant Azalea | $1\frac{1}{2}-2$ ft | palliate | 2.00 | 17.50 | |
| | | | 2.50 | 22.50 | |
| — CALENDULACEA | .12-15 in | pallid | 1.00 | | |
| FLAME AZALEA | 15-18 in | pallidly | 1.50 | | |
| | 18–24 in | pallidness. | 2.00 | | |
| TARREDDD T | $2\frac{1}{2}$ ft | palling | 2.50 | 157 50 | |
| — KAEMPFERI | 4 × 40 · | _ 1 . | 2.00 | 17.50 | |
| - MOLLIS | 15-18 in | palmate | $\frac{2.25}{1.50}$ | 20.00 | |
| - MULLIS | .12-15 in | palmetto | 2.00 | | |
| JAPANESE AZALEA colors mixed — J. C. VAN TOL (red and yellow). | 19-18 III | nolmietry | 2.50 | | |
| I C VAN TOI (red and vellow) | 18 in | nalmy | 2.50 | | |
| - NUDIFLORA | 15–18 in | nalsied | 1.25 | 11.50 | |
| PINKSTER FLOWER | 18-24 in | palsv | 1.50 | 12.50 | |
| PINKSTER FLOWER — VASEYI | .15–18 in | pampered. | 1.25 | 10.00 | |
| CAROLINA AZALEA | 18-24 in | pamper | 2.00 | 17.50 | |
| CAROLINA AZALEA — VISCOSA | .12-15 in | pampering | 1.00 | 8.50 | |
| SMALL WHITE AZALEA BACCHARIS HALIMIFOLIA | 15-18 in | pan | 1.25 | 10.00 | |
| | 18-24 in | panacea | 2.00 | 17.50 | |
| BACCHARIS HALIMIFOLIA | . 3- 4 ft | pancake | 50 | | |
| GROUNDSEL BUSH BERBERIS HACKADATA | 4- 5 ft | panch | .75 | 4.00 | |
| BERBERIS HACKADAIA | . 1½- 2 ft. | paneled | .50 .60 | 4.00 5.50 | |
| | | pang | .75 | 0.00 | |
| — SIEBOLDI | 11/2- 0 ft | naniele | .50 | 4.50 | |
| - SILBOLDI | 9- 21/6 ft | panic | .60 | 5.50 | |
| | | panicled | .75 | 6.50 | Per 100 |
| — THUNBERGII | .12–18 in | pannage | .25 | 2.00 | \$ 12.00 |
| Thunberg's Barberry | | pannier | .35 | 3.00 | 15.00 |
| | 1½- 2 ft., | extra panoply | .45 | 4.00 | 18.00 |
| | 2- 2½ ft. | panorama | .60 | 5.50 | 20.00 |
| | 2½- 3 ft. | panoramic | .75 | 7.00 | 35.00 |
| — VULGARIS | | | .25 | 2.00 | |
| Common Barberry — PURPUREA | 2- 3 ft | panting | .35 | 3.00 | |
| | .18–24 in | pantomine | .35 | 3.00 | |
| Purple Barberry | | pantry | .50 | 4.50 | |
| BUDDLEIA VEITCHI | 3 ft | pant | .65 .35 | 6.00 | |
| CALLICARPA PURPUREA | 11/ ₋ 0 f+ | papanze | .35 | 3.00 | |
| Purple Fruited | | paper | .50 | $\frac{3.00}{4.50}$ | |
| I OIM DE I ROITED | 2 27210. | ·····papism ··· | | 1.00 | |

| | <i>'</i> | Tel. Code | Each | Per 10 |
|---|---------------------|--------------|--------------------|---------------------|
| CALYCANTHUS FLORIDUS | 2- 3 ft | | \$.35 | \$3.00 |
| | | | .50 | 4.50 |
| STRAWBERRY SHRUB CARAGANA ARBORESCENS | . 2- 3 ft | paraclete . | .35 | 3.00 |
| SIBERIAN PEA | 3– 4 ft | parade | .50 | 4.50 |
| | 4- 5 ft | parading . | .75 | 6.50 |
| CARYOPTERIS | | | | |
| — MASTACANTHA | .15–18 in., 2 yr . | paradise | .35 | 3.00 |
| BLUE SPIREA | 18 in., 2 yr | paradox | .50 | 4.50 |
| CEANOTHUS AMERICANA, | 10 01: | | ~0 | 1 -0 |
| RED ROOT | 18-24 in | paradrome | .50 | 4.50 |
| CELTIS OCCIDENTALIS | 2 ft | paragon | .75 .50 | 6.00 |
| NETTLE TREE | 4-6 ft | naragraphed | .75 | |
| TIBLIB TIBE | 6-8 ft | paragraphin | | |
| CEPHALANTHUS | | | 5 | |
| OCCIDENTALIS | . 2- 3 ft | parallel | .35 | 3.00 |
| n n | 0 4 0. | 7 77 7 7 | .50 | 4.50 |
| CERCIS CANADENSIS | . 2-3 ft | paralysis . | .50 | 4.50 |
| American Judas | 3- 4 ft | paralyzed . | .65 | 6.00 |
| | 4- 5 ft | paralyzing | .75 | 7.00 |
| IADONICA I I | 5- 6 ft | paralize | 1.00 | 7.50 |
| - JAPONICA JAPAN JUDASCHIONANTHUS VIRGINICA | . 1½- % It | paramour . | .75 | 0.50 |
| WHIRE FRINGE | 3- 4 ft | paraquet . | $\frac{.75}{1.00}$ | 6.50 |
| WHIRE I RINGE | 4-5 ft | narasite | 1.25 | $8.50 \\ 10.00$ |
| CLETHRA ALNIFOLIA | 1½- 2 ft | narcel | .35 | 3.00 |
| SWEET PEPPER | $2-2\frac{1}{2}$ fr | parcenary | .45 | 4.00 |
| | 2½- 3 ft | parched | .50 | 4.50 |
| | 3– 4 ft | parch | .75 | 6.50 |
| COLUTEA ARBORESCENS | . 2- 3 ft | parching | .35 | |
| Bladder Senna | | | | |
| CORCHORUS (See Kerria). | | | | |
| CORNUS ALBA (SIBERICA) | 2-3 ft | pardon | .35 | 3.00 |
| RED BRANCHED | 3- 4 ft | . pardonable | .50 | 4.50 |
| AT TERMITOT IA | 4- 5 ft | pardoned . | .75 | 6.50 |
| - ALTERNIFOLIA | . 2-3 it | pardoning. | .35 | 3.00 |
| ALTERNATE - — ELEGANTISSIMA | 3-4 ft | paregoric | .50 | 4.50 |
| ELEGANTISSIMA | $2-2\frac{1}{2}$ ft | parentany. | .35 .50 | 3.00 |
| | 3 ft | narental | .75 | 4.50 |
| AETHII, YELLOW | . 2- 3 ft | . parent | .50 | 4.50 |
| | 3- 4 ft | parantlaga | .75 | 6.50 |
| - OUSA | . 3- 4 ft | pargeted | .75 | 6.50 |
| | 4- 5 ft | nargeting | 1.25 | 10.00 |
| - MASCULA CORNELLIAN CHERRY | . 2-3 ft | narish | .35 | 3.00 |
| — PAUCINERVIS | . 2-3 ft | paring | .50 | 4.50 |
| — PANICULATA | 3-4 ft | park | .75 | 6.50 |
| PANICULATA | 2- 3 It | parked | .35 | 3.00 |
| I ANICLED DOGWOOD | 3- 4 ft 4- 5 ft | parker | .50 | 4.50 |
| — SERICEA | 2- 3 ft | parnament | 75 35 | 6.50 |
| Silky Dogwood | 3- 4 ft | parley | .50 | $\frac{3.00}{4.50}$ |
| | 4- 5 ft | DOBOTTION | .75 | 6.50 |
| - STOLONIFERA | 2-3ft | . parody | .35 | 3.00 |
| Red Osier | 3- 4 ft | . parole | 50 | 4.50 |
| T TIME 4 | 4-5ft | naroled | .75 | 6.50 |
| LUTEA | 2– 3 ft | . parquetry | .35 | 3.00 |
| GOLDEN BARK | 3- 4 ft | parquet | .50 | 4.50 |
| CORYLUS AVELLANA | 4- 5 ft | . parried | .75 | 6.50 |
| | 3 _1 ft | 70.0 mm | .35 | 3.00 |
| — PURPUREA | 1 ½5- 9. ft | narrot | .50 .75 | 4.50 |
| PURPLE FILBERT | 2-2½ ft | .parrv | .15 .85 | 6.50 7.50 |
| PURPLE FILBERT COTONEASTER DIELSIANA | 3- 4 ft | .parse | 1.00 | 9.00 |
| - SIMONSI | 18 in | .parsley | .50 | 0.00 |
| | | | | |

| CRATAEGUS (See Trees). | Tel. Code | Each | Per 10 |
|--|---------------------------------|------------|---------------------|
| CYDONIA JAPONICA | $1\frac{1}{2}$ 2 ftparsed | \$.25 | \$2.00 |
| Japan Quince | $2-2\frac{1}{2}$ ftparsing | .35 | 3.00 |
| | $2\frac{1}{2}$ -3 ftpartly | .50 | 4.50 |
| —— ALBA | $1\frac{1}{2}$ -2 ftpart | .50 | |
| White Japan Quince | $2-2\frac{1}{2}$ ftpartable | .75 | |
| — — MAULEI | 2 ftpartake | .50 | 4.50 |
| DWF. FLG. QUINCE | 2- 3ftparted | .50 | 4.50 |
| —— PINK | 2- 3 ftparty | .50 | 4.50 |
| | 3- ftparts | .65 | 5 00 |
| DESMODIUM | | | |
| — PENDULIFLORUM | .18-24 inparticiple . | .50 | 4.50 |
| DEUTZIA CANDIDISSIMA | . 2- 3 ftparting | .35 | 3.00 |
| Double White | 3- 4 ftpartisan | .50 | 4.50 |
| Double White — CRENATA, Fl. pl | 4-5 ftpartition. | .75 | 6.50 |
| — CRENATA, Fl. pl | . 2- 3 ftpartitive | .35 | 3.00 |
| Double Pink | 3- 4 ftpartlet 4- 5 ftpartly | .50 | 4.50 |
| CD A CITY IS | 4-5 ftpartly | .75 | 6.50 |
| - GRACILIS | .12-15 in partook | .35 | 3.00 |
| SLENDER DEUTZIA — LEMOINEI | 15-18 inpartridge | .50 | 4.50 |
| LEMOINEL | 18-24 in partner | .65 | 6:00 |
| - LEMOINEL | . 1½-2 Itpassage | .35 .50 | $\frac{3.00}{4.50}$ |
| Lemoine's Deutzia | 2-2/2 It passbook . | .65 | 6.00 |
| —— PARVIFLORA | 11/2-9 ft passable | .35 | 3.00 |
| | 0 01/ ft passangan | .50 | 4.50 |
| — PRIDE OF ROCHESTER Large Flowered | 2- 3 ftpassed | .35 | 3.00 |
| Large Flowered | 3- 4 ftpast | .50 | 4.50 |
| 5 | 4- 5 ftpassing | .75 | 6.50 |
| — VILMORIN | 2- 3 ftpassingly | 50 | 4.50 |
| | 3- 4 ftpasted | .60 | 5.50 |
| DIERVILLA (See Weigela). | | | |
| — TRIFIDA | .18–24 in passion | .35 | 3.00 |
| | 2 ftpassible | .50 | 4.50 |
| mx m / 037770 / 2370770mmmnox = / | 3 ftpass | .75 | 6.50 |
| ELEAGNUS ANGUSTIFOLIA | . 2-3 ftpassionate. | .35 | 3.00 |
| RUSSIAN ULIVE | 3-4 ftpassioned. | .50 | 4.50 |
| Russian Olive - LONGIPES | 9-2 ft pagement | .75 .50 | 6.50 |
| Goumi | 3- 4 ftpassively | .75 | |
| EUONYMUS ALATUS | 18–24 in nast | .50 | 4.50 |
| Japan Cork Barked | 2-2½ ftpasted | .75 | 7.00 |
| | 2½-3 ftpastel | 1.00 | 9.00 |
| | Q 1 ft mosts | 1.25 | 11.00 |
| — AMERICANA | . 2- 3 ftpastoral | .40 | 3.50 |
| STRAWBERRY BUSH - BUNGOIDES | 3-4 ftpastorate. | .65 | 5.50 |
| - BUNGOIDES | . 3-4 ftpastorship. | .50 | 4.50 |
| — EUROPAEA | 4-5 ftpastor | .75 | 6.50 |
| - EUROPAEA | . 2-3 ftpasture | .50 | 4.50 |
| English Strawberry Tree | 4- 5 ftpasturing. | .75 | $6.50 \\ 8.50$ |
| EXOCHORDA | 4- 51tpasturing. | 1.00 | 0.00 |
| — GRANDIFLORA | 18-94 in pastry | .35 | 3.00 |
| Pearl Bush | 2- 3 ftpastry | .50 | 4.50 |
| | 3- 4 ftpat | .75 | 6.50 |
| | 4 ftpatch | 1.00 | 8.50 |
| FORSYTHIA FORTUNEI | 2-3 ftpatching | .35 | 3.00 |
| | 3-4 ftpatchwork | .50 | 4.50 |
| THE PROPERTY OF A STATE OF A STAT | 4-5 ftpatent | .75 | 6.50 |
| — INTERMEDIA | 2-3 ftpatermal. | .35 | 3.00 |
| Golden Bell | 3-4 ftpaternity. | .50 | 4.50 |
| - SUSPENSA | 4-5 ftpath | .75 | 6.50 |
| FORTUNE'S GOLDEN BELL | 3- 4 ftpathology. | .35 | 3.00 |
| TORTUNE S GOLDEN DELL | 4- 5 ftpathology. | .50 .75 | $\frac{4.50}{6.50}$ |
| | z orcpacnos | .10 | 0.00 |

| FORSYTHIA—Continued | | Tel. Code | Each | Per 10 |
|---|---------------------------|---------------|------------|---------------------|
| - VIRIDISSIMA | 2- ft | patience | .\$35 | \$3.00 |
| DARK GREEN FORSYTHIA | 3- 4 ft | patient | .50 | 4.50 |
| | 4− 5 ft | patiently . | .75 | 6.50 |
| FOTHERGILLAE | | patness | .75 | |
| GENISTA SCOPARIA | 2 ft | patrician . | .50 | 4.50 |
| SCOTCH BROOM — TINCTORIA | 3 ft | pathway | .75 | 6.50 |
| — TINCTORIA | 18 in | patrimony | .35 | 3.00 |
| Dyer's Greenweed HALESIA TETRAPTERA | 2 ft | patriot | .50 | 4.50 |
| HALESIA TETRAPTERA | 2- 3 ft | patriotic | .60 | 5.50 |
| SILVER BELL | 3- 4 ft | patriotism. | .75 | 6.50 |
| SILVER BELL HAMAMELIS VIRGINICA | 4-6 ft | patrol | 1.00 | 9.00 |
| HAMAMELIS VIRGINICA | 2- 3 ft | patron | .50 | 4.50 |
| HAMAMELIS VIRGINICA WITCH HAZEL HIBISCUS, ALTHEA, single. Rose of Sharon Dbl. Pink, Purple, Red and White | 3- 4 tt | patronage | .75 | 6.50 |
| HIBISCUS, ALTHEA, single | . \ 2-3 ft | patroness . | .35 | |
| ROSE OF SHARON | (3- 4 It | patronize . | .50 | |
| — Dbl. Pink, Purple, | 2-311 | patroon | -35 -50 | |
| Red and White |) 4 = ft | patted | .65 | |
| - variegata | 11/.0 ft | patter | .85 | |
| Variegate Leaved | 172-21t | pattering | .50 | |
| Tree Form | z- 31t | pattern | .00 | |
| HIPPOPHAEA SEA BUCKTHORN | 9_ 2 f+ | nottre | .50 | |
| HYDRANGEA ARBORESCENS | 9- 3 ft | nausa | .50 | 1 -0 |
| WILD HYDRANGEA | 3- 4 ft | nausing | .75 | 4.50 |
| WILD HYDRANGEA — GRANDIFLORA ALBA | 18-24 in | nave | .35 | 6.50 |
| HILLS OF SNOW | 2- 3 ft | naved | .50 | 4.50 |
| HILLS OF SNOW - NIVEA, RADIATE | 3- 4 ft | pavement. | .75 | 6.50 |
| - NIVEA, RADIATE | 2- 3 ft | paving | .35 | 3.00 |
| | 3-4 ft | pawing | .50 | 4.50 |
| | 4- 5 ft | pawed | .75 | 6.50 |
| — OTAKSA | 1 yr | paw | .25 | 2.00 |
| | 1 yr | pawn | .50 | 4.50 |
| | 15-18 in | pawned | .65 | 6.00 |
| — French Varieties, good assortment. | 12–15 in | pawning | .50 | 4.50 |
| | 15-18 in | pawners | .65 | 6.00 |
| DANIGHT ATTA (C) I DI | 18 in | payed | .75 | 7.00 |
| — PANICULATA (Single Flowering). | 2- 3 tt | peaceful | .50 | 4 50 |
| | 3- 4 ft | peaceless . | .65 | 6.00 |
| — — GRANDIFLORA | 10 i | peace | .75 | 7.00 |
| GRANDIFLORA | | pay | .35 | |
| Yanna Madaanaa | 2-2/2 11 | pays payer | .50 .65 | 4.50 |
| Large Hydrangea | 272-31t | payer | .75 | 6.00 |
| ——— standard (Tree Form) | Modium | paying | 1.00 | 7.00 |
| Standard (Tree Torin) | 1st class | neaceable | 1.25 | 9.00 |
| - QUERCIFOLIA, OAK LVD. | 130 Class | neak | 1.00 | 11.00 |
| HYPERICUM AUREUM | 11/3-2 ft | neaked | .35 | 2 00 |
| St. John's Wort — DENSIFLORUM | 2-21/2 ft | peanut | .50 | $\frac{3.00}{4.50}$ |
| - DENSIFLORUM | 1½-2 ft | peasant | .35 | 3.00 |
| | $2-\bar{2}\frac{1}{2}$ ft | peasantry. | .50 | 4.50 |
| | 4 ft | peat | 1.00 | 8.50 |
| - KALMIANUM | 3 ft | peaty | .75 | 0.00 |
| - MOSERIANUM GOLD FLOWER | 2 yr | pebble | .75 | 6.50 |
| ILEX SIEBOLDI | 2- 3 ft | peck | 1.00 | |
| - VERTICILLATA (PRINOS) | $1\frac{1}{2}$ -2 ft | pecking | .50 | 4.50 |
| BLACK ALDER | | pectate | .60 | 5.50 |
| ITEA WIDGINGS | 3 ft | pectinal | .75 | 7.00 |
| ITEA VIRGINICA. | . 18 in | pectinate | .35 | 3.00 |
| VIRGINIAN WILLOW | 2- 3 ft | pectinated | .50 | 4.50 |
| JASMINUM NUDIFLORUM | 10 21 :- | peculiar | .50 | |
| KERRIA JAPONICA | 2_ 2 ft | pedagogue | .35 | 3.00 |
| SINGLE CORCHORUS FLORA PLENA | 11/2 of | pedagogy | .50 | 4.50 |
| - VARIEGATA, VAR. LF. | 19-15 in | pendant | .50 | 2 |
| TARLEGATA, VAR. LF | 15-18 in | neddle | .35 | 3.00 |
| | 10-10 III | pedale | .50 | |

| | | m | 77. 1 | D 10 | |
|---|-----------------------|---------------|--|---|---------|
| - ANDRES DESIGNATION | | Tel. Code | Each | Per 10 | |
| LAURUS BENZOIN | $1\frac{1}{2}-2$ ft | peddled | \$.35 | \$3.00 | |
| SPICE BUSH | 2- 3 ft | peddler | .50 | 4.50 | |
| LESPEDEZA BICOLOR, | O Lı | 131: | ~ 0 | | |
| Bush Clover | | peddling | .50 .75 | | |
| LIGUSTRUM AMURENSE | 4 1 1 1 | pedestal | .13 | \$2.00 | |
| AMOOR RIVER | 0 - 9 ft | pedicree | .35 | $\frac{\varphi z.00}{3.00}$ | |
| AMOOR HIVER | 2- 31t 3- 14 ft | nediment | .50 | 4.50 | |
| AMOOR RIVER — CILIATUM | 18–94 in | neel | .35 | 3.00 | |
| Carrier Carr | 2- 3 ft | . peeling | .50 | 4.50 | |
| — IBOTA | 1½-2 ft | . peep | .25 | 2.00 | |
| | 2-3 ft | pepper | .35 | 3 00 | 7 |
| | 3- 4 ft | peeping | . 50 | 4.50 | |
| — — REGELIANUM, true spreading | . 1½–2 ft | peerless | .35 | 3.00 | |
| REGEL'S PRIVET - LUCIDUM | $2-2\frac{1}{2}$ ft | peerlessly . | .50 | 4.50 | |
| — LUCIDUM | . 1 yr | peevishly . | .50 | | |
| — OVALIFOLIUM, CALIFORNIA | | | | | Per 100 |
| well branched, per 1000 \$18.00 | .12–18 in | peg | .10 | .80 | 3.00 |
| well branched, per 1000 \$25.00 | $1\frac{1}{2}-2$ ft | pegged | .15 | 1.00 | 4.00 |
| well branched, per 1000 \$35.00 | . 2-3 ft | pegger | .25 | 2.00 | 6.00 |
| well branched, per 1000 \$45.00 | . 3- 4 ft | pegging | .35 | 3.00 | 8.00 |
| well branched, extra | . 4- 5 tt | pellet | .50 | 4.00 | 20.00 |
| —— Globe Form | . 18 in. diam | pence | 1.50 | 12.50 | |
| - STANDARD, 2 yr. head | . 4-5 It | perter | 1.25 | 10.00 | |
| — AUREA GOĹDĚN PRIVET — PULASKI | 12-15 in | perting | $.50 \\ .35$ | $\begin{array}{c} 4.50 \\ 3.00 \end{array}$ | |
| Porter Prives | 2 - 5 1t | pending | .50 | 4.50 | |
| Polish Privet - VULGARIS | 0_ 2 ft | pendeu | .30 | 2.50 | |
| V CEGARGS | . 2 51t 3_ 4 ft | nendulum | .40 | 3.50 | |
| EUROPEAN LONICERA ALBERTI | 4- 5 ft | penetrant . | .50 | 4.50 | |
| LONICERA ALBESTI | 1 ft | penetrate. | 35 | 3.00 | |
| | | | .50 | 4.50 | |
| - BELLE ALBIDA | . 2-3 ft | pencil | .35 | | |
| | 3- 4 ft | penetrating | .50 | 4.50 | |
| | 4 × C. | | .75 | | |
| — FRAGRANTISSIMA | . 2– 3 ft | . penitence . | .35 | 3.00 | |
| Fragrant Bush — LEDEBOURI | 3- 4 ft | penitency . | .50 | 4.50 | |
| — LEDEBOURI | . 2-3 ft | penitential | .35 | 3.00 | |
| MAACUT () | 3- 4 ft | pens | .50 | 4.50 | |
| — MAACKI, (new) | 2-3ft | penitently . | .50 | 4.50 | |
| | 3-4 ft | | $\begin{array}{c} .75 \\ 1.00 \end{array}$ | 6.50 | |
| — MORROWI | 4- 5 ft | penit | .50 | 4.50 | |
| Morrowi Honeysuckle | 2- 31t 2- 4 ft | nonnate | .75 | 6.50 | |
| Morrowi Honeysuckle — MORROWI (true spreading) | 9_ 3 ft | nemmating | .50 | 4.50 | |
| Months wit (true spreading) | 3- 4 ft | nenned | .75 | 6.50 | |
| | 4 ft | nenny | 1.00 | 9.00 | |
| — RUPRECHTIANA | 2- 3 ft | . penniless . | .50 | 4.50 | |
| Manchurian Honeysuckle | 3- 4 ft | penning | .75 | 6.50 | |
| — STANDISH | . 2– 3 ft | pensioning | .50 | 4.50 | |
| Standish Honeysuckle — TARTARICA | 3- 4 ft | pensioned . | .75 | 6.50 | |
| — TARTARICA | . 2-3 ft | pensive | .35 | 3.00 | |
| Bush Honeysuckle | 3- 4 ft | | .50 | 4.50 | |
| (Pink and White) | 10.10. | pent | .75 | 6.50 | |
| MYRICA CERIFERA | 12–18 in | pentecost . | .40 | 3.00 | |
| BAY BERRY | 1½-2 ft | | .60 | 5.00 | |
| | $2-2\frac{1}{2}$ ft | | .75 | 7.00 | |
| — GALE | $2\frac{1}{2} - 3$ ft | peopled | 1.00 | $9.00 \\ 4.50$ | |
| GALL | $2-2\frac{1}{2}$ ft | | .50 .75 | $\frac{4.50}{6.50}$ | |
| OX DENDRON ARBOREA | 2-27211 2-3 ft | nenner | .75 | 7.00 | |
| | | | 1.00 | 9.00 | |
| SORREL TREE PAEONIA, MOUTAN | 2 vr | . peppered . | 1.25 | 0.00 | |
| PAVIA MACROSTACHIA | 19–18 in | nennering | 1.00 | | |
| DWARF HORSECHESTNUT | 18–24 in | . peppering . | 1.50 | | |
| | ~~ | ророли | 2.50 | | |

| PHILADELPHUS | Tel. Code | Each | Per 10 |
|--|--|-------|---------|
| THILADELI HUS | | | |
| - AVALANCHE | 18-24 inpeptic | \$.35 | \$3.00 |
| | 2- 3 ftpepsin | .50 | 4.50 |
| | 3-4 ftperceiving | .75 | 6.50 |
| — CORONARIUS | 2-3 ftperceived. | .35 | 3.00 |
| Mock Orange | 3-4 ftpercent | .50 | 4.50 |
| MUCA ORANGE | 4-5 ftperception | .75 | 9.00 |
| — — AUREA | 15 10 in management | .35 | 3.00 |
| | 15–18 in perceptive. | | |
| Golden Leaf | 18-24 in perched | .50 | 4.50 |
| | $2-2\frac{1}{2}$ ftpercher | .60 | 5.50 |
| | 916 ft perching | .75 | 6.50 |
| - GORDONIANUM | 2-3 ftperch | .35 | 3.00 |
| 00120121012 | 3- 4 ftperchance | .50 | 4.50 |
| | 4-5 ftperchanced | .75 | 6.50 |
| - GRANDIFLORA | 9 9 ft porcelete | .35 | 3.00 |
| - GRANDIFLORA | 2- 51tpercolate . | | |
| Large Flowering — LEMOINE | 3- 4 itpercolated. | .50 | 4.50 |
| | 4-5 ftpercolater | .75 | 6.50 |
| —— LEMOINE | $1\frac{1}{2}$ -2 ftpercolation | .35 | 3.00 |
| — ZEHERII | 2-2½ ftpercolating | .50 | 4.50 |
| - ZEHERII | 2-3 ft perdition | .35 | 3.00 |
| | 3– 4 ft | .50 | 4.50 |
| PHOTINA VILLOSA | 9-2 ft paraussany | .50 | 4.50 |
| THOTINA VILLOSA | | | 5.50 |
| | 3- 4 ftpercuss | .60 | |
| | 4-6 ftpercussion. | .75 | 7.00 |
| POTENTILLIA FRUTICOSA | | .35 | 3.00 |
| | 2 ftpercussing. | .50 | 4.50 |
| PRINOS (See Ilex). | • | | |
| PRINTED (See Hea). | | | ~ ~ ~ ~ |
| PRUNUS MARITIMA | 2-3 ftperdue | .60 | 5.50 |
| Beach Plum | 3- 4 ftperdulous . | .75 | 7.00 |
| BEACH PLUM — PISSARDI | 9-3ft preemptory | .50 | 4.50 |
| PURPLE LEAF PLUM | 3-4 ftperennity. | .60 | 5.50 |
| TURPLE LEAF TLUM | 5-41tperennity. | | |
| | 4- 5 ftperfect | .75 | 7.00 |
| | 5-6 ftperfected | 1.00 | 9.00 |
| - TOMENTOSA | $1\frac{1}{2}$ ftperfecting | .35 | |
| — TRILOBA | 2- 3 ft perfection | .60 | |
| Double Flg. Plum | 3-4 ftperfectly | .75 | |
| PYRUS JAPONICA (See Cydonia). | 5 41tperfectly. | .10 | |
| ADDITIENTA (See Cydoma). | | | |
| - ARBUTIFOLIA, (See Aronia). | | | |
| - FLORIBUNDA, MAULUS, (See Tre | es). | | |
| PTELIA, HOP TREE, (See Trees). | | | |
| RHAMNUS CATHARTICUS | 2-3 ftperficient . | .35 | 3.00 |
| COMMON BUCKTHORN — FRANGULA | 3- 4 ftperfidy | .50 | 4.50 |
| - FRANGULA | . 3- 4 ft perforce | .50 | 4.50 |
| ALDER, BUCKTHORN | 4- 5 ftperform | .75 | 6.50 |
| RHODOTYPUS | r ottperiorm | .,, | 0.00 |
| RHODOTYPUS — KERRIOIDES WHITE KERRIA | 9 9 ft norformed | .35 | 3.00 |
| - KERRIOIDES | 2 of the control of t | | |
| WHITE KERRIA | 3- 4 Itperformer. | .50 | 4.50 |
| RHUS AROMATICA | 18-24 in perfumed | .50 | |
| Fragrant Sumach - COPALLINA | 2-3 ftperfume | .75 | 7.00 |
| - COPALLINA | 2-3 ft perfumery. | .50 | 4.50 |
| SHINING SUMACH | 3-4 ftperfuming | 75 | 6.50 |
| - COTINUS | 2- 3 ftperfuse | .50 | 4.50 |
| Purple Fringe | 9 4 ft | | |
| CI ADDA | 3-4 ftperfusive | .75 | 6.50 |
| - GLABRA | | .50 | 4.50 |
| SMOOTH SUMAC | 4- 5 ftperiled | .75 | 6.50 |
| | 5- 6 ftperiling | 1.00 | 9.00 |
| —— LACINIATA | $\dots 2-2\frac{1}{2}$ ftperiodical. | .75 | 6.50 |
| CUT LE SUMACH | 3 ft perishing | 1.00 | 9.00 |
| -OSBECK | 2-3ft perish | .75 | 6.50 |
| | 3–4 ftperishable | 1.00 | 9.00 |
| — TYPHINA | 3- 4 ft pariumen | .50 | 4.50 |
| STAGHORN SUMACH | | | |
| | 4-6 ftperjuring. | .75 | 6 50 |
| ——LACINIATA | 2-3 ftpermanent | .35 | 3.00 |
| Cut Lf. Staghorn Sumach | 3-4 ft permanently | .50 | 4.50 |
| | 4-5 ftpermeate | .75 | 6.50 |
| | The state of the s | | |

| | | Tel. Code | Each | Per 10 |
|-------------------------------------|----------------------|--------------|------------|---------------------------|
| RIBES AUREUM | 2- 3 ft | permeating | \$.35 | \$3.00 |
| YELLOW FLG. CURRANT — GORDONIANUM | 3- 4 ft | permissible | .50 | 4.50 |
| - GORDONIANUM | 2-3 ft | permission | .35 | 3.00 |
| Pink Flg. Currant — SANGUINEUM | 3- 4 ft | permit | .50 | 4.50 |
| | 4- 5 ft | permitted | .75 | 6.50 |
| — SANGUINEUM | 2-3 ft | pernicious | .35 | |
| RED FLG. CURRANT ROBINA HISPIDA | 3-4 ft | pernicity . | .50 | |
| KORINA HISPIDA | 2-3 tt | perpetrating | 50 | 4.50 |
| ROSA BLANDA, MEADOW ROSE | 3- 4 ft | perpetrated | .75 | 6.50 |
| | 0_ 2 f+ | nernetuelly | .35 .50 | 3.00 |
| — CAROLINA | 11/2-9 ft | nernetuated | .35 | 4.50 3 ₄ 00 |
| CHRODIUM | 2-2½ ft | perpetuated | .50 | 4.50 |
| - LUCIDA, GLOSSY ROSE | 1½-2 ft | perplex | .35 | 3.00 |
| | 2 ft | perplexed . | .50 | 4.50 |
| | 2 f+ | norploxity | .75 | 6.50 |
| — MULTIFLORA JAPONICA | 2-3 ft | perquisite. | .35 | 3.00 |
| Japanese Climbong - NITIDA | 3- 4 ft | perquisition | .50 | 5.00 |
| - NITIDA | 1½-2 ft | persecute . | .35 | 3.00 |
| RUBIGINOSA, SWEET BRIAR | 2-2½ ft | persecutor. | .50 | 4.50 |
| RUDIGINUSA, SWEET DRIAR | 2- 3 it | persecuted | .35 | 3.00 |
| | 4- 5 ft | persecuting | .50 .75 | 4.50 |
| - RUBRIFOLIA, (FERRUGINEA) | 1½-2 ft | nerseverance | .35 | $\frac{6.50}{3.00}$ |
| ROBRIZI O'ELIN, (I EMMOGRAM) | 2-3 ft | persevere . | .50 | $\frac{3.00}{4.50}$ |
| | 3- 4 ft | persevering | .75 | 6.50 |
| — SETIGERA, PRAIRIE ROSE | 2- 3 ft | persist | .35 | 3.00 |
| | 3-4 ft | nersistency | .50 | 4.50 |
| — RUGOSA, RED | $1\frac{1}{2}$ -2 ft | persisten . | .35 | 3.00 |
| AVDA | $2-2\frac{1}{2}$ ft | persisting. | .50 | 4.50 |
| — — ALBA, White | 1½-2 ft | personal | .35 | 3.00 |
| | $2-2\frac{1}{2}$ ft | personality | .50 | 4.50 |
| —— HYBRIDS | z/2-31t | personate. | .75 | 6.50 |
| ROSA, CLIMBING AND TRAILING | | | | |
| - AMERICAN PILLAR | 2- 3 ft | persuade . | .35 | 3.00 |
| | 3- 4 ft | persuaded | .50 | 4.50 |
| — CRIMSON RAMBLER | 2- 3 ft | persuading | .35 | |
| MI OHIED OF PAIDEINIE | 3- 4 ft | persuasion | .50 | |
| — FLOWER OF FAIRFIELD — MISS MESMAN | 2-3 ft | pert | .35 | |
| | 0 1 11 | | .35 | 3.00 |
| — PHILADELPHIA RAMBLER | 9-3 ft | pertaining | .50 .35 | $\frac{4.50}{3.00}$ |
| | | | .50 | 3.00 |
| — PINK RAMBLER | 2-3 ft | perusal | .35 | 3.00 |
| — WHITE RAMBLER | 2-3 ft | pervaded | .35 | |
| — YELLOW RAMBLER | 3- 4 ft | bervader . | .50 | |
| — YELLOW RAMBLER | 2- 3 ft | pervading | .35 | 3.00 |
| — WICHURIANA | 3- 4 ft | pervasion . | .50 | 4.50 |
| — WICHURIANA | 2- 3 ft | perverse | .35 | 4 50 |
| — — DR. VAN FLEET | 3- 4 ft | perversity | .50 | 4.50 |
| —— DR. VAN TEELT | 3- 4 ft | erverting. | .35 .50 | 3.00 4.50 |
| DOROTHY PERKINS, PINK | 2- 3 ft | esting | .35 | 3.50 |
| | 3- 4 ft | ested | .50 | 4.50 |
| — — DOROTHY PERKINS, WHITE | 2- 3 ftr | estilence . | .35 | 3.00 |
| DV CDI CA | 3- 4 ftr | et | .50 | 4.50 |
| — — EXCELSA | 2-3 ftr | etition | .50 | 4.50 |
| — — GARDENIA | 3- 4 ftp | etitioner. | .30 | 2.0- |
| — — GARDENIA | z- 3 ttp | etitioning | .35 | 3.00 |
| | 9 1 51 | t | .35 | 3.00 |
| — — LADY GAY | 2- 3 ft r | ettish | .50 .35 | $\frac{4.50}{3.00}$ |
| — HYBRID PERPETUAL, ETC. | • | heaton | .65 | 6.00 |
| Good Assortment | | nacton | .05 | 0.00 |

| ROSA—Continued | | Tel. Code | Each | Per 10 |
|---|--------------------------------|-------------|------------|---------------------|
| — TEAS AND BABY RAMBLER, | Red | | \$.75 | 101 10 |
| Good Assortment | | | Ψ | |
| - TREE ROSES | | picked | 2.00 | |
| RUBUS ODORATUS | 2-3 ft | pickle | .35 | \$3.00 |
| FLOWERING RASPBERRY | 3- 4 ft | pickled | .50 | 4.50 |
| | 4- 5 ft. | pickling | .75 | 6.50 |
| SAMBUCUS | | | | |
| — ACUTILOBA CT. LF. | | | .35 | |
| — CANADENSIS | 2-3 ft. | pillowed | .35 | 3.00 |
| Common Elder | 3- 4 ft. | pillowing . | .50 | 4.50 |
| Common Elder - NIGRA AUREA | 4- 5 ft. | pilot | .75 | 6.50 |
| — NIGKA AUKEA | 2-3 ft. | piloting | .35 | 3.00 |
| GOLDEN ELDER | 3- 4 It. | pilotage | .50 | 4.50 |
| GOLDEN ELDER - RACEMOSUS | 4- 31t. | pilotea | .75 $.35$ | 6.50 |
| RED REPRIED FLORE | 3_ 1 ft | ninched | .50 | |
| HED DERRIED PLDER | 4- 5 ft | ninch | .75 | |
| RED BERRIED ELDER SPIREA ARGUTA | 12-15 in | ninching | .25 | |
| — ATCHINSONI | 2-3 ft. | pinion | .50 | |
| - BILLARDI | 3- 4 ft. | pinioned | .65 | 6.00 |
| — BILLARDI | 2-3 ft. | pinking | .35 | 3.00 |
| | 3- 4 ft. | pinked | .50 | 4.50 |
| | 4- 5 ft. | pink | .75 | 6.50 |
| — BUMALDI | $1\frac{1}{2}$ ft | pinnacle | .35 | 3.00 |
| | 2-2½ ft | pinnate | .50 | 4.50 |
| —— A. WATERER | 12–18 in | pinned | .35 | 3.00 |
| CRIMSON SPIREA | 1½-2 ft. | pinning | .45 | 4.00 |
| | 2-2½ tt. | pint | .60 | 5.50 |
| — CALLOSA ALBA | 2½ It | pints | .75 | 6.50 |
| — CALLUSA ALBA | 12-18 in | piousness . | .35 | 2.00 |
| DWARF WHITE SPIREA | 19-16 III | piousiy | .45 .60 | $\frac{4.00}{5.50}$ |
| DWARF WHITE SPIREA — ROSEA | 9- 3 ft | nioneer | .35 | 3.00 |
| ROSLA | 3- 4 ft | pipe | .50 | $\frac{3.00}{4.50}$ |
| - CRISPIFOLIA, (DWARF) | 3 vrs | piping | .35 | 3.00 |
| - OPULIFOLIA | 9- 3 ft | niner | .35 | 3.00 |
| | 3- 4 ft | piquant | .50 | 4.50 |
| Ninebark ———————————————————————————————————— | 4- 5 ft | piquantly | .75 | 7.50 |
| —— AUREA | 2-3 ft. | piracy | .35 | 3.00 |
| - Golden Ninebark | 3- 4 ft. | pirate | .50 | 4.50 |
| | 4- 5 ft. | pistol | .75 | 6.50 |
| — PRUNIFOLIA | 1½-2 ft. | pit | .35 | |
| BRIDAL WREATH - REVEESH FL. P | 2-3 ft. | pitch | .50 | 4.50 |
| DEMERCH BY D | 3- 4 ft. | pitcher | .75 | 6.50 |
| - REVEESH FL. P | 2-3 It. | piteous | .50 | 4.50 |
| — ROTUNDIFOLIA | 9-2 ft | piteously . | .75 | 6.50 |
| ROUND LVD SPIREA | 3 ft | nitch | .35 .50 | $\frac{3.00}{4.50}$ |
| ROUND LVD. SPIREA — SALICIFOLIA | 9- 3 ft | nithy | .35 | 3.00 |
| | 3- 4 ft. | pith | .50 | 4.50 |
| - SORBIFOLIA | 2- 3 ft. | pitied | .35 | 1.00 |
| AGH T.VD SPIPEA | 3- 4 ft | nitiful | .50 | |
| - THUNBERGII | 15–18 in . | pittance | .30 | |
| | 18–24 in . | pitted | .40 | 3.50 |
| Snow Garland | $2-2\frac{1}{2}$ ft. | pity | .50 | 4.50 |
| TORENTOCA | $\frac{2\frac{1}{2}-3}{2}$ ft. | pitying | .65 | |
| - TOMENTOSA | 2-3ft | pityingly . | .35 | 3.00 |
| STEEPLE BUSH - VAN HOUTTEI | 3- 4 It | pivot | .50 | 4.50 |
| VAN HOUTTE'S BRIDAL WREATH | 9_ 2 ft | placed | 92 | 9.00 |
| VAN HOUTTE S DRIDAL WREATH | 3- 4 ft | placid | .35 .50 | 3.00 |
| | 4- 5 ft | placidly | .30 .75 | $\frac{4.50}{6.50}$ |
| — VEITCHII | 2- 3 ft | placing | .35 | 3.00 |
| | 3- 4 ft | nlacket | .50 | 4.50 |
| — WILSONI | 2-3 ft. | plain | .50 | 2.30 |
| | | | | |

| | | Tel. Code | Each | Per 10 |
|---|----------------------|---------------|--------------------|---------------------|
| STAPHYLEA COLCHICA, BLADDER NU | | | \$1.00 | |
| STEPHANANDRA FLEXUOSA | 2-3 ft | plait | .35 | \$3.00 |
| | 3- 4 ft | plan | .50 | 4.50 |
| | 4- 5 ft | planning | .75 | 6.50 |
| STRAUNSVESIA | .18 in | planked | .75 | |
| STYRAX JAPONICA | . 2- 3 ft | planking | .50 | 4.50 |
| | 3- 4 ft | plant | .75 | 6.50 |
| | 4- 5 ft | planted | 1.00 | 9.00 |
| SYMPHORICARPOS | | • | | |
| - RACEMOSUS | . 1½-2 ft | planting | .35 | 3.00 |
| Wryma Cyroyroppou | 0_ 2 f+ | nlagton | .50 | 4.50 |
| - VULGARIS | 3- 4 ft | plastering . | .75 | 6.50 |
| - VULGARIS | $1\frac{1}{2}-2$ ft | platanum . | .30 | 2.50 |
| RED INDIAN CURRANT | 2-3 ft | plattoon | .45 | 4.00 |
| | 3- 4 ft | platter | .65 | 6.00 |
| RED INDIAN CURRANT SYMPLOCOS CRATEGOIDES | .18 in | playfully . | 1 50 | |
| SYRINGA JAPONICA | . 2- 3 ft | playing | .50 | 4.50 |
| Japan Tree Lilac | 3- 4 ft | player | .75 | 6.50 |
| | ∆_ 5 f+ | nlayful | 1.00 | 9.00 |
| — JOSIKEA, (Violet) | . 2- 3 ft | plea | .50 | 4.50 |
| | 3- 4 ft | plead | .75 | 6.50 |
| | 4- 5 ft | pleading | 1.00 | 9.00 |
| - VILLOSA, (Pink) | . 2-3 ft | pleaded | .50 | 4.50 |
| | 3- 4 ft | pleader | .75 | 6.50 |
| DEDCICA (D. 1) | 4- 5 ft | pleasing | 1.00 | 9.00 |
| - PERSICA, (Purple) PRES. HAYES, (Purple) | 0 0 % | | | 4 = 0 |
| ROTHOMAGENSIS, (Red) | 2- 3 ft 3- 4 ft | pieasant | .50 | 4.50 |
| CARTOTARIA (T) 1) | | | 1.00 | $\frac{6.50}{9.00}$ |
| —— SANGEANA, (Red) —— ALBA, (White) | 2- 3 ft | nleaseu | .50 | $\frac{9.00}{4.50}$ |
| | 3- 4 ft | nledge | .75 | 6.50 |
| - VULGARIS | .2- 3 ft | plenteous | .50 | 4.50 |
| Common Purple | 3- 4 ft | .plentiful | .75 | 6.50 |
| | 4 × P1 | - 1 | 1.00 | 9.00 |
| ALBA | 2- 3 ft | .plight | .40 | 3.50 |
| Common White | o− 4 It | .pngntea | .65 | 6.00 |
| | 4- 5 ft | . plighting . | .85 | 7.50 |
| ——ALPHONSE LAVELLE | 18–24 in | .plodded | .35 | 3.00 |
| (Purple) | 2- 3 ft | · plodding | .50 | 4.50 |
| CILLO 10TH | 3- 4 ft | .plod | .75 | 6.50 |
| —— CHAS. 10TH | 2-3 It | plotter | 50 | 4.50 |
| (Redish Purple) | 4-5 ft | . plotted | .75 | 6.50 |
| —— MICHAEL BUCHNER | 9- 2 ft | plough | $\frac{1.00}{.50}$ | $9.00 \\ 4.50$ |
| (DOUBLE LILAC) | 3- 4 ft | ploughing | .75 | 6.50 |
| (Double Lilac) — MARY LE GRAYE | 18-24 in | . pluck | .35 | 0.00 |
| (Single White) — MAD LEMOINE | 2- 3 ft | . plucking | .50 | |
| MAD LEMOÍNE | 2–3 ft | .plumbing . | .50 | • 4.50 |
| (Double White) | 3–4 ft | .plume | .75 | 6.50 |
| —— MAD CHAS PERIER | 2–3 ft | .plump | .50 | 4.50 |
| (Double White) | 3- 4 ft | .plunder | .75 | 6.50 |
| — RUBRA DE MARLEY | $1\frac{1}{2}$ -2 ft | .ply | .35 | 3.00 |
| (Light Blue) | 2–3 ft | .plying | .50 | 4.50 |
| 7.0 | 3-4 ft | .poach | .75 | 6.50 |
| —— SCIPION COCHET | 4-5 ft | poaching . | 1.00 | 9.00 |
| - SOUV DE L'SPAETH | 3-4 It 11/_0 f+ | . poacned | .75 | 6.50 |
| (DARK Prippin) | 0 9 ft | n a d | .45 65 | 4.00 |
| —— WM ROBINSON (DOUBLE PINK) | 2–3 ft | noem | .65 .60 | 5.50 |
| TAMARIX AFRICANA | 9- 3 f+ | poetio | | |
| ABBRICA AFRICANA | 3- 4 ft | poetry | .35 | 3.00 |
| | 4- 5 ft | pointed | .50 .75 | 4.50 |
| — GALLICA | 2- 3 ft | point. | .35 | 3.00 |
| | 3- 4 ft | pointer | .50 | 4.50 |
| | | - | | |

| | | Tel. Code | Each | Per 10 |
|---|-------------------------------|--------------|-------|--------|
| VACCINIIM CODVMPOSIIM | 19 in | | \$.75 | \$6.50 |
| VACCINUM CORYMBOSUM VIBURNUM ACERIFOLIA | 11/_ 0 f+ | poisonnie | .35 | \$0.00 |
| Many Thank | 2_ R f+ | noke | .50 | 4.50 |
| Maple Leaved - CASSANOIDES | 2- 311 | pokc | | 3.00 |
| - CASSANOIDES | 1½-2 ft | poker | .35 | |
| WHITE ROD | 2-3 ft | poking | .50 | 4.50 |
| TO TOTAL MITTEE | 2- 3 ft 3- 4 ft 9- 3 ft | pole | .75 | 6.50 |
| — DENTATUM | 2 – 3 ft | policy | .35 | 3.00 |
| Arrow Wood | 3- 4 ft | polite | .50 | 4.50 |
| — DILITATUM | 4- 5 ft | politely | 75 | 6.50 |
| - DILITATUM | 2- 3 it | politeness . | .50 | 4.50 |
| MOLLE | 3- 4 ft | political | .75 | 6.50 |
| —— M OLLE | 2- 3 it | politics | .35 | 3.00 |
| ¥ 43700 437 4 | 3- 4 ft | polka | .50 | 4.51 |
| - LANTANA | 1½- ½ it | polluting . | .35 | 3.00 |
| WATFARING TREE | 2 - 3 ft | ponution . | .50 | 4.50 |
| —— RUGOSUM | 18-24 in | populace . | .35 | 3.00 |
| | 2- 3 ft | popularity | .50 | 4.50 |
| - LENTAGO | 3- 4 ft | popular | .75 | 6.50 |
| - LENTAGO | 2- 3 ft | poplar | .50 | 4.50 |
| SHEEPBURY | 3- 4 ft | porcelain . | .75 | 6.50 |
| SHEEPBURY - OXYCOCOS (American) | 4- 5 ft | porch | 1 00 | 9.00 |
| - OXYCOCOS (American) | 2- 3 ft | pork | .35 | 3.00 |
| HIGHBUSH CRANBERRY | 3- 4 ft | porous | .50 | 4.50 |
| | 4- 5 ft | porridge | .75 | 6.50 |
| HIGHBUSH CRANBERRY - OPULUS STERILIS | 2- 3 ft | portable | .35 | 3.00 |
| COMMON SNOWBALL NANA | 3- 4 ft | porousness | .50 | 4.50 |
| 37.37. | 4-5 ft | portage | .75 | 6.50 |
| —— NANA | 6-8 in | portance | .25 | 2.00 |
| Dwarf Snowball | 8–10 in | portal | .35 | 3.00 |
| DDYDITTOYTUS | 10-12 in | . portent | .50 | 4.50 |
| - PRUNIFOLIUM | 2-3 ft | portended . | .50 | 4.50 |
| BLACK HAW | 3- 4 ft 4- 5 ft | portend | .75 | 6.50 |
| DYINTID ODIIVI I UM | 4- 5 ft | postman | 1.00 | |
| — RHYTIDOPHYLLUM | | | 2.00 | |
| — SIEBOLDI, JAPONICUM | | | .50 | 4.50 |
| | 3- 4 ft | pottage | .75 | 6.50 |
| Tarent Tarent | 4-5 ft | pottery | 1.00 | 7.50 |
| - TOMENTOSUM | 2- 3 ft | poultry | .50 | 4.50 |
| Single Flg. | 3- 4 ft | pounce | .75 | 6.50 |
| DITCATURE | 4- 5 ft | pound | 1.00 | 8.50 |
| —— PLICATUM | 1½-2 ft | pounded | .35 | 3.00 |
| Japan Snowball | 2 − 3 ft | pounder | .50 | 4.50 |
| | 3- 4 ft | pounding . | .75 | 6.50 |
| C: 1 1/m D | 4- 5 ft | poverty | 1.00 | 8.50 |
| —— Standard (Tree Form) | | | 1 50 | 12.50 |
| VITEX AGNUS CASTUS | 2- 3 ft | power | .35 | 3.00 |
| CHASTE TREE | | | | 2.20 |
| WEIGELIA AMABILIS | | | .35 | 3.00 |
| Rose Colored | 3- 4 ft | prance | .50 | |
| - CANDIDA, (White) | 2- 3 ft | pray | .35 | 3.00 |
| | 3- 4 ft | prayer | .50 | 4.50 |
| | 4- 5 ft | precede | .75 | |
| — EVA RATHKE | 1½- 2 ft | precinct | .35 | 3.00 |
| RED FLOWERING | 2-2½ ft | precious | .50 | 4.50 |
| | 2½ -3 ft | precise | .65 | 6.50 |
| | 3- 4 ft | prefer | .75 | 6.50 |
| — FLORIBUNDA | 2- 3 ft | prefix | .35 | 3.00 |
| | 3- 4 ft | presemt | .50 | 4.50 |
| - LAVELLI | 2- 3 ft | presented . | .35 | 3.00 |
| RED FLOWERING | 3- 4 ft | presenting. | .50 | 4.50 |
| - LUTEA, DIERVILLA | | | | |
| SESSIFOLIA | 2-3 ft | preserve | .35 | 3.00 |
| HIGH BUSH HONEYSUCKLE | 3- 4 ft | .preserved . | .50 | 4.50 |
| | 4- 5 ft | preside | .75 | 6.50 |
| | | | | |

| £2 F, 8 | & F. NURSERIES | | |
|--|------------------------|--------------|---------------------|
| WEIGELIA—Continued | Tel. Code | Each | Per 10 |
| - NANA VARIEGATA | | | |
| VARIEGATA | 3- 4 ftpress | \$.35 .50 | $\$3.00 \\ 4.50$ |
| Variegated — ROSEA | 9- 2 ft pretend | 35 | 3.00 |
| Rose Colored | . 3- 4 ftprevail | .50 | 4.50 |
| | 4- 5 ftprevent | .75 | 6.50 |
| XANTHORHIZA APIFOLIA | 10–12 inprince | .35 | 2.50 |
| YELLOW ROOT | 15–18 in princess | .50 | 4.50 |
| | | | |
| | • | | |
| CLIA | MBING VINES | | |
| CLI | | | |
| ACTIVIDIA ADOLUMA | | Each | Per 10 |
| ACTINIDIA ARGUTA | . 2-3 fte | \$.35 | 04.50 |
| SILVER VINE AKEBIA, QUINATA. | 3- 4 fticy | .50 | \$4.50 |
| FIVE LVD. AKEBIA, 1st class | 2 vr iced | .50 | 4.50 |
| AMPELOPSIS ENGELMANI, | ~ J1 | | |
| 1st class | .2 yr icicle | .35 | |
| — HETEROPHYLLA, VITIS | | _ 50 | 4.50 |
| - QUINQUEFOLIA, 1st class | .2 yr idiotic | .35 | 3.00 |
| VIRGINIA CREEPER | | 0.5 | 2.00 |
| - VEITCHII, JAPAN IVY | .1 yr.,ideal | .25 .40 | $\frac{2.00}{3.50}$ |
| Field grown, medium Field grown, 1st class | 2 yrideanze | .50 | $\frac{3.50}{4.50}$ |
| Firld grown, strong | 3 vridle | .75 | 6.50 |
| ARISTOLOCHIO | .2 yr., medium idlenss | .75 | 6.50 |
| | 2 yr., strongignored | 1.00 | 8.50 |
| BIGNONIA RADICANS, | 0.0 | 0.5 | 0.00 |
| COMMON TRUMPET VINE | .2 ftgnore | .35 | 3.00 |
| — — GRANDIFLORA CHINESE TRUMPET VINE 3 yr | ignorance | .75 | 6.50 |
| CELASTRUS SCANDENS | 2 vr ill | .50 | 4.50 |
| Japan Staff Vine | | | |
| CLEMATIS large flowering | | 1.00 | |
| - PANICULATA, Field Grown, extra | | .35 | 3.00 |
| extra | 3 yrimmense | .50 | 4.50 |
| UONYMUS (See Evergreens). HEDERA HELIX | 2 in note implored | .40 | 3.50 |
| HEDERA HIDIA | 4 in. pots implore | .50 | 4.50 |
| English Ivy, field grown | .2-3 ftimport | .35 | 3.00 |
| JASMINUM (See Shrubs). | | | |
| KUDZU VINĖ | .2 yrimpose | .35 | |
| LONICERA BRACHYPODA, JAPANESE | 3 yr impress | .35 | 3.00 |
| — AUREA, JAPANESE GOLDEN | 3 yrimpulsive . | 35 | 3.00 |
| — HALLEANA, HALL'S JAPAN — HECKROTTI. | .3 yrnaugurate | .35 | |
| HECKROT'S HONEYSUCKLE | 2 vrincense | .35 | 3.00 |
| - PILEATA, DWARF EVERGREEN | inceptive . | .75 | |
| - PUNICEA | .2 yrincentive . | .35 | |
| LYCIUM BARBARUM | | .35 | 3.00 |
| Matrimony Vine — SINENSIS | 3-4 ftIndian | .50 .35 | $\frac{4.50}{3.00}$ |
| — SINENSIS | 3–4 ftindex | .50 | $\frac{3.00}{4.50}$ |
| WISTARIA FRUTESCENS | 4 vrinduce | .50 | 4.50 |
| AMERICAN WISTARIA | | | |
| — MAGNIFICA | | .50 | 4.50 |
| — MULTIJUGA | 2-3 ftheavyinfect | .75 | 6.50 |
| JAPANESE WISTARIA | | 1.00 | 8.50 |
| - SINENSIS | . 5 Vr interior | .75 | $6.50 \\ 8.50$ |
| CHINESE WISTARIAALBA | 9-3 ft infirm | 1.00 | 0.00 |
| CHINESE WHITE | .3–4 ftinfirmity | 1.00 | |
| - standard, (Tree Form) | inform | 2.00 | |
| | | | |

CONIFERS AND EVERGREENS

These have all been transplanted, most of them several times, giving ample room for full development and frequently sheared to produce compact, symmetrical specimens. Those marked with a ** will not be balled and burlapped at the prices named.

| | | Tel. Code | Each | Per 10 |
|---|-----------------------|---------------|---------------------|---|
| ABIES BALSAMEA, BALSAM FIR | . 2-2½ ft | .sable | \$1.50 | |
| | | | 2.00 | |
| - CILICICA, CILICIN FIR | .18-24 in | .sacredly | 2.00 | |
| | 9-91/6 ft | .sacred | 2.50 | |
| — CONCOLOR | .18-24 in | . sacrificed | 2.50 | |
| Colorado Silver Fir | 2-2½ ft | sacrilege | 3.50 | |
| | $2\frac{1}{2}$ -3 ft | .sad | 4.00 | |
| | 2 ft | sader | 5.00 | |
| — DOUGLASI | .18–24 in | .saddened | 1.50 | \$12.50 |
| — (PSEUDO TSUGA), DOUGLAS FIR. | $.2-2\frac{1}{2}$ ft | .saddening | 2 00 | 17.50 |
| | $2\frac{1}{2}$ -3 ft | | 2.50 | 22.50 |
| | 3- 4 ft | | 3.25 | 30.00 |
| | 4- 5 ft | | 4.50 | 40.00 |
| ED 4 CEDII | 5- 6 ft | .safer | 5.00 | 7~ ~0 |
| - FRASERII | . 2-2½ it | .safely | $\frac{200}{3.00}$ | 17.50 |
| Fraser's Balsam Fir - NORDMANNAINA. | 3- 4 It | .sag | 2.00 | 17.50 |
| - NORDMANNAINA | 2 21/ ft | sage | 2.50 | 22.50 |
| Nordman's Fir - OMORIKA | 2-2/2 1t | . Saiu | 4.50 | 24.50 |
| - PECTINATA | 0 01/f+ | colory | 2.00 | |
| - VEITCHII | 2-272 1t | salary | 2.50 | 22.50 |
| VEITCH'S FIR | $2\frac{1}{2}$ 3 ft | saluted | 3.00 | 27.50 |
| VEHCH STIN | 3– 4 ft | | 4.00 | 37.50 |
| | 4- 5 ft | | 5.00 | 40.00 |
| | 5- 6 ft | | 6.00 | 55.00 |
| - PICEA ALBA | 11/6-9 ft | same | 1.25 | 10.00 |
| WHITE SPRUSE | 3– 4 ft | | 2.50 | 22.50 |
| | 4- 5 ft | .sanction | 3.50 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| - ENGLEMANNI | . 2 ft | .sane | 2.25 | 20.00 |
| | 2½ ft | | 2.50 | 22.50 |
| | A ft | sanitary | 4.50 | |
| — EXCELSA | .15-18 in ** | .sap | .75 | 6.50 |
| NORWAY SPRUCE | 1½-2 ft | .sardine | 1.00 | 9.00 |
| | $2-2\frac{1}{2}$ ft | .sardonic | 1.25 | 10.00 |
| | 2½-3 ft | | 1.50 | 12.50 |
| | 3–4 ft | .sat | 2.25 | 20.00 |
| | 4–5 ft | .satan | 3.50 | 32.50 |
| ATTINES OF S | 7–8 ft | | 6.00 | |
| AUREA, GOLDEN SPRUCE | | | 1.75 | |
| CONICA, CONICAL SPRUCE | . 18 in | .sauce | 2 00 | |
| CRECORIANA Daving Comme | 2 ft | .saucily | $\frac{2.50}{1.50}$ | |
| — — GREGORIANA, DWARF SPRUCE | 12 in | sauntering | $\frac{1.50}{2.00}$ | |
| —— INVERTA, WEEPING SPRUCE | 18 in | . sauntered . | 2.00 | |
| | 0 1 11 | an ere moler | 3.00 | |
| PROCUMBENS, DWARF | 18 in | savagory | 2.25 | |
| PYRAMIDALIS, PYRAMIDAL | 9_91/ ₆ ft | scalding | 2.50 | |
| Transibility i instibility | 3–4 ft | scallon | 4.00 | |
| - ORIENTALIS, ORIENTAL SPRUCE | 1½ ft. | .scan | 1.75 | 15.00 |
| , | 2 ft | .scandal | 2.25 | 20.00 |
| | 2½ ft | | 2.50 | 22.50 |
| | 3 ft | .scanning | 3.25 | 30.00 |
| | 4 ft | .scant | 5.00 | |
| - POLITA, TIGER TAIL SPRUCE | . 3 ft | .scantly | 5.00 | |
| — PUNGENS | .18 in | .scarce | 2.00 | 17.50 |
| | 2 ft | .scarecly | 2.25 | 20.00 |
| | 2½ ft | | 2.75 | |
| | 3 ft | | 3.25 | |
| | 4 ft | .scared | 5.00 | |

| ABIES—Continued | | Tel. Code | Each | Per 10 | |
|---|---|--------------------------|---------------------|------------------|---------|
| — — KOSTER'S BLUE. GRAFTED | | | \$5.00 | | |
| | 3 ft | scholarly . | $\frac{6.00}{7.50}$ | | |
| - SYTCHENSIS, SITKA SPRUCE | 1½-2 ft | schooling | 1.50 | | |
| | $2-2\frac{1}{2}$ ft | schooner | 2.00 | | |
| — UMBILICATA | $2\frac{1}{2}$ -3 ft | scoff | 2.50 | | |
| — UMBILICATA | 18 m | scoffed | $\frac{1.50}{2.25}$ | | |
| ANDROMEDA CATESBAEI | 10-12 in. $10-12$ | scolding | .85 | \$ 7.50 | |
| (Leucothoe) | | | 2.00 | | |
| - FLORIBUNDA | . 12 in | scorch | 2.00 | | |
| AZALEA AMOENA | 12–15 in | scouring | 2.00 | 17.50 | |
| | 15-18 in | scoured | 2.50 | 22.50 | |
| | 18-24 in | | $\frac{3.00}{3.50}$ | | • |
| HINODIGIRI (red) | 18–24 in. ex. bus | scowl | 2.00 | | |
| (10d) | 15–18 in | scowler | 2.50 | | |
| — INDICA ALBA | 18–24 in | scowled | 3.00 | | |
| - INDICA ALBA | 12-15 in 18 in | scowling | $\frac{1.50}{3.00}$ | | |
| BERBERIS ILICIFOLIA | 1½-9. ft | scraning | .65 | | |
| HOLLY LEAVED BARBERRY BIOTA ORIENTALIS | 2-2½ ft | scraper | .85 | | |
| BIOTA ORIENTALIS | $1\frac{1}{2}-2$ ft | scratching | 1.25 | \$10.00 | |
| ORIENTAL ARBOR VITAE | $2-2\frac{1}{2}$ it $2\frac{1}{2}-3$ ft | scratch | $\frac{1.50}{2.00}$ | 12.50 | |
| | | scrawled | $\frac{2.50}{2.50}$ | | |
| 4 4 000 4 000 400 400 400 400 400 400 400 | 4 ft | scrawl | 3.50 | | |
| — — AUREA CONSPICUA, GOLDEN. — — COMPACTA, CHINESE COMPACT | 18 in | scrawler | $1.75 \\ 1.75$ | | |
| — ELEGANTISSIMA | $1\frac{7}{2}$ It | screech | 1.75 | 15.00 | |
| ROLLINSON'S GOLDEN | 2 ft | scrubby | 2.00 | 17.50 | |
| | | scrubbing . | | $22.50 \\ 27.50$ | |
| — — NANA AUREA, BERKMAN'S | 3 It | scrub | $\frac{3.00}{1.25}$ | 10.00 | |
| —— PYRAMIDALIS | $1\frac{1}{2}$ ft | scuttle | 1.25 | 10.00 | |
| | | seal | 1.75 | 15.00 | |
| | g ft | sealer | $\frac{2.00}{2.75}$ | | |
| BUXUS ARBORESCENS | 12 in | searching | 1.25 | | |
| TREE BOX (Bush Form) — — PYRAMIDS — SUFFRUTICOSA | 15 in | searched | 1.50 | | |
| — — Pyramina | 2-91% ft | searchless . | $2.25 \\ 3.50$ | | |
| | 2½ ft | seat | 4.00 | 2.00 | Per 10 |
| — SUFFRUTICOSA | . 2 in | section | .25 | 0.00 | \$12.00 |
| Dwarf Edging | 6-8 in ** | secure | .35 .35 | 3.00 | 15.00 |
| SCOTCH HEATHER COTONEASTER APLANATA | 10–12 in | sedative | .50 | | |
| COTONEASTER APLANATA | 2 ft | select | 2.00 | | |
| DIELSIANAHORIZONTALIS, DAVIDIANA | 3 ft | selecting | $\frac{1.50}{1.50}$ | | |
| | $1\frac{1}{2}$ -2 ft | self | 2.00 | | |
| -MACROPHYLLA | . 18 1n. | semble | 1.50 | | |
| CRATTEGUS GRINGENSISCRYPTOMERA, LOBBI | 4 It | senator | $\frac{2.00}{2.50}$ | | |
| COMPACTA | 2½-3 ft | | 2 50 | | |
| | 3–4 ft | senseless | 3.50 | | |
| EUONYMUS ACUTUS | 6 ft | sensitive | 7.50 | | |
| — JAPONICUS. | . 15–18 in | sentimental | .65 | | |
| Evergreen Euonymus | 18-24 in | \dots sentinel \dots | .75 | | |
| — PULCHALLUS | .12 in | sentenced . | 1.25 | 20.00 | |
| — RADICANS, 2 yr. bushy | . 8–12 in .12–15 in | separate | .35 .50 | 30.00 40.00 | |
| 3 yr. bushy | .15–18 in | separating. | .65 | 60.00 | |
| | | | | | |

| PHONVMUS Cantinual | | Tel. Code | Each | Per 10 |
|--------------------------------------|---------------------------------|-------------|--------|--------|
| EUONYMUS—Continued | | Tel. Code | | |
| CARRIERI | .12-15 in | .serene | \$.40 | \$3.50 |
| | 15–18 in | .serenly | .50 | 4.50 |
| | 18 in | | .65 | 5.50 |
| - RADICANS VARIEGATA, | | | | |
| 9 vr hushv | 8-12 in | serge | .35 | 3.00 |
| 2 yr. bushy | 19-15 in | comes | .45 | 4 00 |
| 2 yr buchy | 15_10 in | corious | .60 | 5.00 |
| VEGETUS | 0 10 in | . Serious | .35 | 3.00 |
| VEGETUS | 10 15 in | . Sel mon | | |
| - SIEBOLDI | 12-10 III | .serve | .45 | 4.00 |
| CIPPOIDI | 15-18 in** | .served | .65 | 6.00 |
| - SIEBOLDI | .18-24 in | .serving | .50 | 4.50 |
| ILEX OPACA | 2 ft.** | .servile | .75 | |
| ILEX OPACA | .18-24 in | .settle | 2.00 | |
| AMERICAN HOLLY | $2-2\frac{1}{2}$ ft | .settled | 2.50 | |
| | 3 ft | .settler | 3.00 | |
| AMERICAN HOLLY JUNIPERIUS CANADENSIS | .15 in | .severe | 1.25 | |
| | 18 in | .severity | 1.75 | |
| | 2 ft | sewed | . 2.00 | |
| - COMMUNIS-Common Juniper. | 9. ft | sew | 2.00 | |
| AUREA. | 15-18 in across | shackle | 1.25 | 10.00 |
| Dongras Corpey Impres | 9 ft coross | shadad | 2.00 | 17.50 |
| DOUGLAS GOLDEN JUNIPER CRACOVICA | 15 10 in | chalro | 1.25 | 10.00 |
| CRACOVICA | 10 24 : | L Ji. | | 12.50 |
| —— HIBERNICA | 18-2± 1n | snading | 1.50 | |
| HIBERNICA | . 1½-% it | snadowy | 1.00 | 9.00 |
| Irish Juniper | 2-2½ ft. 2½-3 ft. 3-4 ft. | .shady | 1.25 | 10.00 |
| | $2\frac{1}{2}$ 3 ft | shaft | 1.75 | 15.00 |
| —— PROSTRATA | 3- 4 ft | .shafting | 2.25 | |
| — — PROSTRATA | 12–15 in | shaken | 1 00 | 7.50 |
| | 15-18 in | shaker | 1 25 | 10.00 |
| | 1½ ft | .shaking | 1.50 | 12 50 |
| | Q f+ | chalza | 2.00 | |
| — — PYRAMIDALIS | 9. ft | shall | 1.25 | 10.00 |
| | 2½ ft | .shallow | 1.50 | 12.50 |
| | | | 2.50 | 12100 |
| SUECICA NANA | 11/6 ft | sham | 1.50 | 12.50 |
| SWEDISH JUNIDED | 9 f+ | shamble | 2.00 | 17.50 |
| SWEDISH JUNIPER - EXCELSA STRICTA | 15 in | champful | 1.50 | 12.50 |
| DAGDEON STREET | 11/2 f4 | chamed . | 1.75 | 15.00 |
| - JAPONICA | 2 f+ | shameu | 2.25 | 15.00 |
| IAPONICA | 10 in | short | 1.50 | |
| - JAPUNICA | . 10 III | snant | | |
| Japan Juniper GLOBOSA | 2 It | snanty | 2.00 | |
| | 2½ It | snaped | 2.50 | |
| OI OROGA | 3- 4 It | snape | 3 50 | |
| GLUBUSA | .10 in. ** | sharpen | 1.50 | |
| — — VARIEGATA | .12-15 in | shaver | 1.50 | |
| Japan Var. Juniper | | | | |
| - PROCUMBENS | 12 in | shawl | 1.50 | |
| - SABINA | 18 in | sheared | 2.00 | |
| - SABINA | 12-15 in | sheath | 1.25 | 10.00 |
| SAVIN JUNIPER | 15-18 in. | sheathing | 1.50 | 12.50 |
| | 1½ ft | shed | 2.00 | 17.50 |
| | 2 ft | shedding | 2.25 | 21.00 |
| — TAMARISCIFOLIA | 19 in | chaltered . | 1.50 | |
| | 15 in | | 2.00 | |
| - SINENSIS | 2 f+ | chield | 3.50 | |
| —— ARGENTEA | 15:_ | Life | | |
| NEOBORIENSE | 12:- | SHIIL | 1.50 | |
| NEUBURIENSE | 12 III | sningled | 1.00 | |
| — — PFITZERIANA | 18 in | sningling . | 1.50 | 0.50 |
| PFIIZERIANA | 2-18 in | shirk | 1.00 | 8.50 |
| | 1½-2 ft | shirt | 1.50 | 12.50 |
| | $2-2\frac{1}{2}$ ft | shiver | 2.00 | 17.50 |
| | $2\frac{1}{2}$ -3 ft | | 2.50 | 22.50 |
| | 3- 4 ft | | 3.50 | 32.50 |
| IIID CDIV. | 4- 5 ft | shock | 5.00 | |
| - VIRGINIANA | $1\frac{1}{2}$ ft | shortened . | .75 | 6.50 |
| | | | | |

| JUNIPERIUS VIRGINIANA—Continue | ed | Tel. Code | Each | Per 10 |
|---|----------------------|--------------|---|------------------|
| RED CEDAR | 2 ft | shot | \$1.25 | \$10.00 |
| TUND CEDAR | 2½ ft | should | 1.50 | φ10.00 |
| | | | 2 00 | |
| Sheared plants | 4 -5 ft | shout | 3.50 | |
| |) 5 ft. | shouted | 4.50 | |
| | 6 ft | shouting | 5.50 | |
| — — PENDULA | 3 ft. | shrewdish | 3.00 | |
| WEEPING JUNIPER | 4 ft | shrewdness | 4.50 | |
| Weeping Juniper — WAUKEGAN | 18 in | shrill | 1.50 | \$12.50 |
| KAIMIA LATIKOLIA (Nur grown) | 1518 in | chrimn | 1.50 | φ1~.00 |
| Mountain Laurel | 1½-2 ft | shrine | 2.00 | |
| MOONIMIN DINONEE | 9_91% ft | shrink | 2.50 | |
| | $2\frac{1}{2}$ ft | shrinkage | 3.00 | |
| LONICERA PILETA | 12 in | shrink | .75 | |
| MAHONIA AQUIFOLIA | | | .50 | |
| MANUNIA AQUIFULIA | . 12-10 in | .snudder | .65 | |
| HOLL. LVD. ASHBERRY — REPENS, creeping PINUS AUSTRIACA | 10-18 in | . snuddered | | |
| DEDENC | 18 in | snuadering | .75 | |
| - REFERS, creeping | 15 10; | . shunning . | $\frac{.50}{1.00}$ | 0.00 |
| FINUS AUSTRIACA | . 10-10 III | .snunting . | 1.25 | 9.00 |
| A Dress | 1½-2 ft | | | 10.00 |
| Austrian Pine | 2-2½ ft | .sny | $\frac{2.00}{2.25}$ | 17.50 |
| | $2\frac{1}{2}$ -3 ft | | $\frac{2.25}{3.00}$ | 20.00 |
| | 3– 4 ft | | | 27.50 |
| | 4- 5 ft | | 5.00 | 40.00 |
| | 5- 6 ft | . sickened | 7.50 | |
| — CEMBRA | 6- 7 ft | .sicken | 10.00 | |
| — CEMBRA | | | 1.75 | |
| SWISS STONE PINE | 15 in | | 2.25 | |
| DEMOIEI OD I | 18 in | | 2.75 | 17.00 |
| — DENSIFLORA | 2 ft | .sifter | 1.75 | 15.00 |
| Japanese Red Pine | 2½ ft | sifting | 2.00 | 17.50 |
| | 3 ft | | 3.00 | 25.00 |
| DV CDY CA | 4 ft | .sigh | 4.25 | 10.00 |
| — EXCELSA | | | 1.25 | 10.00 |
| Bothan Pine | 2-2½ ft | | 1.50 | 12.50 |
| | $2\frac{1}{2}$ -3 ft | sigh | 1.75 | 15 00 |
| DI DVII IO | 3 ft | signed | 3.00 | 22.50 |
| — FLEXILIS | | | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ | |
| | 2ft | | | |
| MUGHO | $2\frac{1}{2}$ ft | signed | 3.25 | 90.00 |
| DWARF MT. PINE | 15-18 in | silence | 2,25 | 20.00 |
| | 18-24 in | silent | 3.00 | 27 50 |
| MANUTACOT A | 2-2½ ft | Sllk | 3.50 | 32.50 |
| - MONTICOLA | | | 1.50 | |
| MT. WHITE PINE PONDEROSA, BULL PINE | 2 ft | silky | $\frac{2.00}{1.50}$ | |
| - PUNDERUSA, BULL PINE | 2 It | SIII | 2.00 | |
| - RESINOSA | 2½ ft | silver | | 10 =0 |
| - RESINUSA | | | $\frac{1.50}{2.00}$ | $12.50 \\ 17.50$ |
| · · | $2\frac{1}{2}$ ft | | 0.00 | 00 =0 |
| | 3 ft | | 3.00 | 27.50 |
| DICIDA | 4 ft | | 4.00 | 37.50 |
| - RIGIDA | | simp | 3.50 | |
| PITCH PINE | 5 ft | | 4.50 | |
| CTROBIC | 6 ft | simple | 6.00 | |
| - STROBUS | 4 ft | simply | 5 50 | |
| WHITE PINE | 5 ft | sin | 4.50 | |
| CVI VECTRIC | 6-ft | | 5.50 | 0.70 |
| - SYLVESTRIS | | sinning | 1.00 | 8.50 |
| Scotch Pine | $2-2\frac{1}{2}$ ft | | 1.25 | 10 00 |
| | 2½-3 ft | | 1.50 | |
| | 3–4 ft | | 2.00 | |
| DETINOCHODA EDICOIDEC | 4-5 ft | sinecure | 3.00 | |
| RETINOSPORA ERICOIDES | 18 in | sinfully | 1.25 | |
| OPTHCA I C | 2 ft | singer | 1.50 | |
| — OBTUSA J APAN CYPRESS | 18 in | singing | 1.50 | |

| RETINOSPORA OBTUSA—Continued | | Tel. Code | Each | Per 10 |
|--|--|-------------|---------------------|------------------|
| —— COMPACTA | | | \$1.50 | Per 10 |
| —— COMPACIA | 18 in | sip | 2.00 | |
| | 2 ft | sipping | 2.50 | |
| — PISIFERA | $.1\frac{1}{2}$ ft | slain | 1.75 | |
| PEA FRUITED CYPRESS | 2-2½ ft 2½-3 ft | slander | 2.25 | \$20.00 |
| | $\frac{21}{2} - 3$ ft | slandered . | 3.00 | 27.50 |
| ATIDEA | | slandering. | $\frac{4.00}{2.25}$ | 20.00 |
| AUREA | 91/2 ft | slanting | 3.00 | $20.00 \\ 27.50$ |
| GOLDEN PEA FRUITED — PLUMOSA | 3-4 ft | slan | 4.00 | 27.50 |
| — PLUMOSA | .15-18 in | slave | 1.25 | 10.00 |
| Plume-like-Cypress | 1½-2 ft | slavery | 1.50 | 12.50 |
| | 2-2½ ft | slavish | 2.25 | 20.00 |
| | $\begin{cases} 2\frac{1}{2}-3 \text{ ft.} \dots \end{cases}$ | slayed | 3.00 | 27.50 |
| | 3-4 ft | slayer | 4.00 | |
| — — ARGENTEA Sheared plants | 114-9 ft | slaving | $\frac{5.00}{1.50}$ | |
| - AUREAGOLDEN PLUMED | 15-18 in | slender | 1.25 | 10.00 |
| TOTAL TOTAL DOMEST. | 1½-2 ft | slice | 2.00 | 17.50 |
| | 2-2½ ft | slick | 2,50 | 22.50 |
| Sheared plants | $2\frac{1}{2}$ -3 ft | slide | 3.00 | 27.50 |
| | $2^{\frac{1}{2}}$ ft 3 ft | slipper | 3.00 | |
| DII IDDD 4 | 3 ft | slip | 4.00 | |
| — — FILIFERA | . 4 ft | slot | 6.00 | |
| —————————————————————————————————————— | 19_15 in | slouchy | 1.75 | |
| Golden | , 12–10 111 | slouchy | 1.10 | |
| LUTESCENS | .12–15 in | slowly | 1.50 | 12.50 |
| The state of the s | 15-18 in | slug | 2.00 | 17.50 |
| —— SQUARROSA VEITCHII, | . 15–18 in | small | 1.50 | |
| Veitch's Cypress | 1½-2 ft | smart | 2.00 | -2 |
| | | smartly | 2.50 | 22.50 |
| | 2-1 ft | smartness . | $\frac{3.00}{4.00}$ | 27.50 37.50 |
| | | smile | 6.00 | 37.30 |
| ——— SULPHUREA | . 12–15 in | smoked | 1.25 | |
| RHODODENDRON hardy varieties. | | | | |
| few buds | 15–18 in | | 2.00 | |
| few budded | | smuggle | 2.50 | |
| few budded | 2½-3 ft | smuggning | $\frac{3.50}{2.00}$ | |
| (Nursery Grown) | 2 ft. | soap | 2.50 | |
| (1 turbory or o the | | soar | 3.00 | |
| | 3 ft | soaring | 5.00 | |
| SCIADOPITYS VERTICILLATA | | socket | 6.00 | |
| Unbrella Pine | | sock | 7.00 | |
| | | sod | 8.00 10.00 | |
| — CUSPIDATA | 19–15 in | song | 1.50 | 12.50 |
| | 15–18 in | | 1.75 | 15.00 |
| | 18-24 in | sonnet | 2.25 | 20.00 |
| nnn | 2-2½ ft | soon | 3.00 | 27.50 |
| BREVIFOLIA | .10–12 in | sore | 1.50 | |
| —— CAPITATA | . 12-15 in | spacing | 1 50 | 12.50 |
| | 15–18 in | snade | 2.00 2.50 | 17.50 22.50 |
| | 2 ft | snaded | 3.00 | ¥ ¥.00 |
| - REPANDENS | .12–15 in | spangle | 1.50 | |
| THUYA OCCIDENTALIS | .18-24 in | sparkle | .75 | 6.50 |
| American Arbor Vitae | 2-2½ ft | special | 1.25 | 10.00 |
| | $2\frac{1}{2}$ -3 ft | specify | 1.50 | |
| | 3- 4 ft | speck | 2.00 | 17.50 |
| | 4-4½ ft | | 2.50 | |
| | 5 ft 6 ft | speed | 4.00 5.50 | |
| | 0.10 | speeding | 9.90 | |

100

| THUYA—Continued | | Tel. Code | Each | Per 10 | Per |
|--|---------------------------------------|------------|---------------------|--------|-----|
| —— BOOTHI COMPACTA | 15–18 in | spine | \$1.25 | | |
| | 1½ ft | spinnet | 1.50 | | |
| —— COLUMBIAN | $\dots 15 - \overline{18}$ in \dots | spirit | 1.25 | | |
| SILVER TIPPED | $1\frac{1}{2}$ -2 ft | spiritual | 1.50 | | |
| —— COMPACTA | 12 in | splendor | 1.00 | \$8.50 | |
| Parson's Dwarf | 15 in | splice | 1.25 | 10.00 | |
| Parson's Dwarf — — ELLWANGERIANA | $1\frac{1}{2}$ ft | splinter | 1.50 | | |
| — — ELLWANGERIANA | 12–18 in | sponge | 1.25 | 10.00 | |
| —— GLOBOSA | 1½ ft | spool | 1.50 | 12.50 | |
| —— GLOBOSA | 12 in | sporting | 1.00 | | |
| DWARF GLOBE | 15 in | spot | 1.25 | | |
| HUVEH | 15 10 in | spreading. | 1.00 | | |
| HOVEY'S GOLDEN DWARF — PLICATA(trivifolia) | 10-18 In | spread | $1.25 \\ 1.50$ | | |
| DIICATA (tuissifalia) | 10 III | springing | 1.50 1.50 | 12.50 | |
| (Douglasi Spiralis) | 0_01/f+ | spunk | 1.75 | 15.00 | |
| (DOUGLASI SPIRALIS) | 2-272 It | enurn | 2.00 | 17.50 | |
| | 2 ft | enurned | $\frac{2.50}{2.50}$ | 22.50 | |
| — — PYRAMIDALIS | 18-94 in | enuttering | 1.00 | 7.50 | |
| PYRAMIDALIS PYRAMIDAL ARBOR VITAE | 9_91% ft | sauare | 1.25 | 10.00 | |
| I TRAMIDAL ARBOR VITAE | 91/ ₆ _3 ft | square | 1.50 | 12.50 | |
| | 3–4 ft | squarery | 2.00 | 17.50 | |
| | 4-5 ft. | squeak | 3.00 | 11.00 | |
| - — ROSENTHALI | 11/6 ft | stabbed | 1.75 | 15.00 | |
| 110.021.1111111111111111111111111111111 | 2 ft | stabbing | 2.00 | 20.00 | |
| —— SPAETHII | 15 in | staff | 1.00 | 7.50 | |
| — — UMBRACULIFERA | 18 in | stage | 1.25 | 10.00 | |
| — — UMBRACULIFERA | 12-18 in | stall | 1.25 | 10.00 | |
| DWARF ARBOR VITAE | 15-18 in | stammer | 1.50 | 12.50 | |
| | 1 */0 11 | . Stamb | 2.00 | | |
| — — VERVAENEANA | 1½ ft | stand | 1.25 | | |
| | | standard . | 1.75 | | |
| | 2½ ft | standing | 2.00 | | |
| | 3 ft | starch | 2.50 | | |
| —— WARREANA | 15–18 in | stare | 1.00 | | |
| Siberian | $1\frac{1}{2}$ -2 ft | start | 1.25 | | |
| TSUGA CANADENSIS | 2–2½ ft | stately | 2.25 | | |
| HEMLOCK SPRUCE | $2\frac{1}{2}$ -3 ft | statement | 3.00 | | |
| | | statute | 4.00 | | |
| | 4 ft | stay | 5.00 | | |
| — CAROLINA | | | 2.00 | | |
| CAROLINA HEMLOCK | | steak | 2.75 | | |
| | | steam | 3.50 | | |
| VIIOGA EILAMENTOGA | 3 ft | steep | 4.50 | 0.00 | |
| YUCCA FILAMENTOSA | . 2 yr | stew | .35 | 3.00 | |
| Adam's Needle | 3 yr | steward | .50 | 4.00 | |

HARDY HERBACEOUS PERENNIALS

All of these are field grown plants, nice strong clumps depending upon the variety.

25c each — \$2.00 per 10 — except where noted.

| | Tel. Code |
|--------------------------------|-------------|
| ACHILLAE TOMENTOSA | oasis |
| AJUGA REPTANS | oaths |
| ALYSSUM SAXITALE | obedient |
| ANCHUSA ITALICA | obediently |
| ANEMONE JAPONICA, pink and red | obey |
| ANTHEMIS TINCTORIA, KELWAYI | object |
| AQUILEGIA CHRYSANTHA | objective . |
| ARABIS ALPINA | objector |
| ARENARIA CASPITOSA | obligate |
| | |

| | Tel. Code | | |
|--|---------------|-------|--------|
| ARMERIA FORMOSA | .obligations | | |
| ASTER ROBERT PARKER | .obligating | | |
| - THOMPASONI | .obliging | | |
| BELLIS PERENNIS BOLTONIA LATISQUAMI NANA | .obscene | | |
| BOLTONIA LATISOUAMI NANA | .obscenity . | | |
| - ASTEROIDES | .obscure | | |
| — ASTEROIDES | . obscurity . | | |
| — MEDIA, blue | . obscurely . | | |
| — CALYCANTHEMA—blue, pink, white | .observance | | |
| - PERSAECIFOLIA—blue | .observant. | | |
| PYRAMIDALIS | | | |
| CENTAUREA MONTANA AND RUTHANICA | .observing. | | |
| CERASTIUM TOMENTOSUM | .obsolete | | |
| CERASTIUM TOMENTOSUM | • | | |
| Globe d'Or, St. Iloria, Souv. de Melanie, Tennyson | , la | | |
| Gloria, Jane, Betty and other choice kinds | obstacle | | |
| — MAXIMUM—Shasta Daisy | obstinancy | | |
| CONVALARIA—clumps | obstinate | | |
| COREOPSIS LANCEOLATA | obstinately | | |
| DELPHINIUM BELLA DONNA | obstruction | | |
| — FORMOSIM | obstructive | | |
| - FORMOSUM - KELWAY'S HYBRID MIXED | obtaining | | |
| - SINENSIS—blue | obtain | | |
| DIANTHUS, DELTOIDES | obtained | | |
| — PLUMARIS | | | |
| — Her Majesty, White Reserve | obvious | | |
| FUNKIA COERULEA | OCCUDY | | |
| — SUBCORDATA | occupied | | |
| - SUBCORDATA - UNDULATA VARIEGATA | occupying | | |
| GAILLARDIA GRANDIFLORA | occurred | | |
| SULPHUREA ACULATA | occupancy | | |
| GALLIGA HARTLANDI | occupier | | |
| GEUM ATRO-SANGUINEUM | occur | | |
| | | | |
| HELENIUM AUTUMNALE SUPERBA | | | |
| HELIOPSIS PITCHERIANA | | | |
| HELIANTHUS—Miss Melish | octagon | | |
| - MULTIFLORA FL. PL | octagonal. | | |
| HEMEROCALLIS FLAVA | octave | | |
| HEUCHERIA SANGUINEA | odd | | |
| HIBISCUS MOSCHEUTOS | oddly | | |
| - MILITARIS | oddness | | |
| HOLLYHOCK—assorted colors, double and single | ode | | |
| IRIS CYANEA | offense | | |
| — DALMATICA PALLIDA | offend | | |
| - GERMANICA—assorted | offender | | |
| — INTERMEDIA—assorted kinds | offended | | |
| — JAPANESE—assorted. | offending. | | |
| - SIBIRICA—Blue and Snow Queen | offensive | | |
| LATHYRUS—Pink Beauty | offer | | |
| LUPINUS—White | official | | |
| LYCHNIS CHALCEDONICA | officially | | |
| - VISCARA SPLENDENS | officiate | | |
| MONARDA DIDIMA and FISTULOSA | oil | | |
| MYOSOTUS PALUSTRIS | oily | | |
| OENOTHERA SPECIOSA. | | | |
| PACHYSANDRA TERMINALIS | ointment | | |
| 1 vr. pots | older | Each | Per 10 |
| PAEONIES OFFICINALIS—assorted | old | \$.50 | \$4.50 |
| - SINENSIS—Assorted colors, named kinds | omission | .50 | 4.50 |
| —— FESTIVA MAXIMA | omitted | .65 | 5.00 |
| PAPAVER ORIENTALIS | on | | |
| —— Mrs. Perry | once | | |
| PENTSTEMON BARBATUS TORREY | onward | | |
| | | | |

| | Tel. Code | | |
|---|--|--|--------------------------------|
| PHLOX AHRENDSI, GRETHE | | | |
| - CAROLINA | .opening | | |
| — DIVARICATA | opera | | |
| — DECUSSATA—following kinds | operate | | |
| | | | |
| Europea, Anth. Mercier, Beranger, Gen'l van Heutz | | | |
| Thebaide, La Vogue, Coquelicot, Eclaireur, Matador | | | |
| M. P. Langier, Siebodli, Von Lassburg, Independence | , | | |
| Queen. | | | |
| — Elizabeth Campbell | operation . | | |
| — Fraulein Krupp | opiate | | |
| — Suffruticosa, Indian Chief, and Miss Lingard | opinion | | |
| — subulata pink and white PHYSOSTIGIA—pink | oppose | | |
| PLUMBAGO—larpentae | optional | | |
| POLEMONIUM—cœrulea | optioned | | |
| PYRETHRUM—single | .ordain | | |
| — grandiflora, mixed | ordained | | - 3 |
| SALVIA—azurea | ordinary | | |
| SATURA MONTANA | .origin | | |
| SEDUM—Spectabiles | originate. | | |
| STACHYSL ANATA | outing | | |
| STOKESIA, blue THYMUS—seprhyllum, splendens | outer | | |
| TRITOMA—uvaria | overturn | | |
| — PFITZERI | overturned. | | |
| TUNICA—saxifraga VALERIAN | overflow | | |
| VALENIAN | overtake | | |
| VERONICA—spicata | owe | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) | owe owl | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue | owe owl | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) | owe owl | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) | owe owl oyster | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue | owe owl oyster | | |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS | owe owl oyster ES Tel. Code | Each | Per 10 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps | owe owl oyster ES Tel. Code racket | \$.25 | \$2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps | owe owl oyster ES Tel. Code racket radical | \$.25 .25 | \$2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps — variegated, clumps | owe owl oyster Tel. Code racket radical raft | \$.25 .25 .25 | \$2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps | owe owl oyster Tel. Code racket radical raft | \$.25 .25 | \$2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca | owe owl oyster Tel. Code racket radical raft | \$.25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass | cowe | \$.25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca | cowe | \$.25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME | cowe | \$.25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | cowe | \$.25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in "1 in., 6-8 ft First grade, ¾ in., 5-7 ft | cowe | \$.25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in "1 in., 6-8 ft First grade, ¾ in., 5-7 ft DWARF APPLES, 4-5 ft., 1 in., extra | cowe | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | Tel. Code racket radical rail rain ENT XX X A | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in 1 in., 6-8 ft First grade, ¾ in., 5-7 ft DWARF APPLES, 4-5 ft., 1 in., extra " 3-4 ft., ¾ in. first class PEAR, Leading Kinds—Std., 1½ in., 6-8 ft | owe owl. ovl. ovl. ovl. ovl. ovl. ovl. ovl. ov | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | owe owl. oyster ES Tel. Code racket radical raft rail rain ENT XX X XX XX XX XX XX | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in — 1 in., 6-8 ft — First grade, ¾ in., 5-7 ft DWARF APPLES, 4-5 ft., 1 in., extra — 3-4 ft., ¾ in. first class PEAR, Leading Kinds—Std., 1½ in., 6-8 ft — Extra, ¾ and 1 in., 6-7 ft — First Grade, ¾-½ in., 5-7 ft | cowe | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in 1 in., 6-8 ft First grade, ¾ in., 5-7 ft DWARF APPLES, 4-5 ft., 1 in., extra " 3-4 ft., ¾ in. first class PEAR, Leading Kinds—Std., 1½ in., 6-8 ft Extra, ½ and 1 in., 6-7 ft. First Grade, ¾-½ in., 5-7 ft PEARS—Dwf., ½ and 1 in., 3-4 ft First Grade, ¾-½ in., 3-4 ft | cowe | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | cowe | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | Tel. Code racket radical rail rail XX X A X X A B | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | Tel. Code racket radical rail rail rail XX X A X A X X X X X X X X X X X X X | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |
| VERONICA—spicata VINCA—minor (per thousand \$60.00) VIOLA—Papillon, dark blue HARDY GRASS EULALIA—Japonica, clumps — gracillima, clumps — variegated, clumps FESTUCA—glauca PHALARIUS—Var. Ribbon Grass FRUIT DEPARTME APPLES, Leading Kinds—Extra, 1½ in | CNT XX XX XX XX XX XX XX XX XX | \$.25 .25 .25 .25 .25 .25 .25 .25 .25 .25 | \$2.00 2.00 2.00 2.00 |

PRICE LIST

| Tel. Code | Each | |
|--|---------------|--------|
| CHERRIES—Sweet, Leading Kinds | | |
| Extra, 1 in., 6-7 ft | \$1.25 | |
| First grade, $3/4-\frac{7}{8}$ in., 5-7 ft | 1.00 | |
| Med. grade, 5/8-3/4 in., 4-5 ft | .75 | |
| PLUMS, Leading Kinds—11/4 in., 6-8 ft | 1.50 | |
| Extra, ½ and 1 in., 5-7 ft | 1.25 | |
| First grade, 3/4-7/8 in., 5-7 ft | 1.00 | |
| PEACHES—3/4-1 in., 5-7 ft | 1.00 | |
| Extra, $\frac{5}{8}$ in., 5-6 ft | .75 | |
| First grade, — 5/8 in., 4-6 ft | .60 | |
| | 1.00 | |
| QUINCES—First grade, — in., 3-4 ft | .75 | |
| Medium grade, ½ in., 2½–3 ft | | |
| NUTS—Chestnut American, 4-6 ft. | .45 | |
| Filberts, 2–3 ft | .50 | |
| " 3–4 ft | .75 .75 | |
| Walnut, Japan, 2–3 ft | 1.00 | |
| " 3-4 ft | 1.00 | |
| PERSIMMONS—American, 3 to 4 ft | | |
| GRAPES | .75 to \$1.00 | |
| CURRANTS—Cherry Fay's Prolific Medium, 2 years | .50 | |
| Tay STITUTE (Strong & woons | .65 | |
| White Grape | | |
| GOOSEBERRIES—Downing, Houghton, 2 yrs. | .50 | |
| RASPBERRY—Cuthbert, Kansas | .20 | |
| St. Regis, (everbearing) | .20 | |
| BLACKBERRIES | .20 | |
| STRAWBERRIES—pot plantsper hundred | | \$5.00 |
| ASPARAGUS—Con. Colossal, 2 yrs | | 2.00 |
| DITTIN A D.D. | 2.5 | 2.00 |
| RHUBARB | .25 | |

